

LITERATURE CITED

- Abbott, R.T. 1974. American Seashells (2nd edition.) D. Van Nostrand Co. Inc. Princeton, New Jersey. 633 pp.
- Abella, S.R. 2002. Landscape Classification of Forest Ecosystems of Jocassee Gorges, Southern Appalachian Mountains, South Carolina. M.S. Thesis, Clemson University. Clemson, South Carolina.
- Adamkewicz, S.L. and M.G. Harasewych. 1996. Systematics and biogeography of the genus *Donax* (Bivalvia:Donacidae) in eastern North America. Amer. Malacol. Bull. 13:97-103.
- Adams, T. and B. Butler. 2004. SC's family forests: the future is in their hands. South Carolina Forestry Association.
- Adler, P.H., D.C. Currie and D.M. Wood. 2004. The Black Flies (Simuliidae) of North America. Cornell University Press. Ithaca, New York. 941 pp. + 24 color plates.
- Agassiz, L. 1860. Contributions to the natural history of the United States of America. Vol 3. Little Brown and Co., Boston. 301 pp.
- Allen, J. and K.S. Lu. 2000. Modeling and predicting future urban growth in the Charleston area. Strom Thurmond Institute, Clemson University. Clemson, South Carolina. American Museum of Natural History. ©1995-2004. <http://antbase.org/>
- American Public Health Association (APHA). 1975. Standard methods for the examination of water and waste water. 14th Edition. Washington D.C.
- Anderson, G. 1985. Species Profiles: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico) -- Grass Shrimp. U.S. Fish and Wildlife Service Biol. Rep. 82(11.35). 19 pp.
- Anderson, W.D., A.G. Eversole, B.A. Anderson and K.B. Van Sant. 1985. A biological evaluation of the knobbed whelk fishery in South Carolina. National Marine Fisheries Service Publication. 2-392-R. 76 pp.
- Anderson, W.D., W.J. Keith, F.H. Mills, M.E., Steinmeyer and J.L. Bailey. 1978. A comprehensive survey of South Carolina's hard clam resources. SC Marine Resources Center Technical Rept. 32. South Carolina Wildlife and Marine Resources Department, Charleston. 14 pp.
- Anger, K., G.S. Moreira and D. Ismael. 2002. Comparative size, biomass, chemical composition (C, N, H) and energy concentration of caridean shrimp eggs. Invertebr. Reprod. Dev. 32:83–93.
- AOU (American Ornithologists' Union). 1957. Check-list of North American birds. 5th ed. American Ornithologists' Union. Baltimore, Maryland.
- AOU (American Ornithologists' Union). 1998. Check-list of North American birds. 7th ed. Allen Press, Inc. Lawrence, Kansas.
- Arnold, W.S., S.L. Walters, S.C. Peters, T.M. Bert and J.S. Fajans. 2003. Influence of congeneric aquaculture on hard clam *Mercenaria* spp.) population genetic structure. J. Shellfish Res. 22(1):318.
- ASMFC. 1985. Fishery management plan for American shad and river herring. Atlantic States Marine Fisheries Commission Fisheries Management Rep. No. 6. 369 pp.
- ASMFC 1990. Fishery management plan for Atlantic sturgeon. Atlantic States Fisheries Commission Marine Fisheries Management Rep. No. 17: 73 pp.

- ASMFC. 1999. Amendment 1 to the fishery management plan for shad and river herring. Atlantic States Marine Fisheries Commission Fisheries Management Rep. No. 35. 76 pp.
- ASMFC. 2000. Atlantic States Marine Fisheries Commission Interstate Fishery Management Plan for American eel. Fishery Management Report 36. 79 pp.
- ASMFC. 2001. Carl N. Shuster Jr. Horseshoe Crab Reserve Designated. Fisheries Focus. 10(2):8-9.
- ASMFC. 2002. Addendum I to Amendment 1 and technical addendum #1 to the interstate fishery management plan for shad and river herring. Atlantic States Marine Fisheries Commission. 10 pp.
- Atlantic States Marine Fisheries Commission (ASMFC). 1998. Interstate Fishery Management Plan for Horseshoe Crab. Fish. Manag. Rep. 32. 58 pp.
- Augspurger, T., A.E. Keller, M.C. Black, W.G. Cope and F.J. Dwyer. 2003. Water quality guidance for protection of freshwater mussels (Unionidae) from ammonia exposure. Environmental Toxicology and Chemistry. 22(11): 2569-2575.
- Aulbach-Smith, C.A. and S.J. deKoslowski. 1996. Aquatic and wetland plants of South Carolina. SC Department of Natural Resources. Columbia, South Carolina. 128 pp.
- Aust, W.M. and R. Lea. 1991. Soil temperature and organic matter in a disturbed forested wetland. Soil Sci. Soc. Am. J. 55:1741-1746.
- Aust, W.M., S.H. Schoenholtz, T.W. Zaebst and B.A. Szabo. 1997. Recovery status of a tupelo-cypress wetland seven years after disturbance: silvicultural implications. Forest Ecol. and Man. 90:161-169.
- Barko, V.A. and R.A. Hrabik. 2004. Abundance of Ohio Shrimp (*Macrobrachium ohione*) and Glass Shrimp (*Palaemonetes kadiakensis*) in the Unimpounded Upper Mississippi River Am. Midl. Nat. 151:265-273.
- Barko, V.A. And D.P. Herzog. 2003. Relationships among side channels, fish assemblages, and environmental gradients in the unimpounded Upper Mississippi River. J. Freshwater Ecol. 18(3):377-382.
- Bärlocher, F. and S.Y. Newell, 1994. Growth of the salt marsh periwinkle *Littoraria irrorata* on fungal and cordgrass diets. Marine Biology. 118:109-114.
- Barros, N.B., D.A. Duffield, P.A. Ostrum, D.K. Odell and V.R. Cornish. 1998. Nearshore vs. offshore ecotype differentiation of *Kogia breviceps* and *Kogia simus* based on hemoglobin, morphometric, and dietary analyses. Abstracts. World Marine Mammal Science Conference. Monaco. 20-24 January.
- Barry, J. 1980. Natural vegetation of South Carolina. University of South Carolina Press. Columbia, South Carolina. 214 pp.
- Bart, H.L., M.S. Taylor, J.T. Harbaugh, J.W. Evans, S.L. Schleiger and W. Clark. 1994. New distribution records of Gulf Slope drainage fishes in the Ocmulgee River system, Georgia. Southeastern Fishes Council Proceedings. 30:4-9.
- Bartol, I.K., R. Mann, and M Vecchione. 2002. Distribution of the euryhaline squid *Lolliguncula brevis* in Chesapeake Bay: effects of selected abiotic factors. Mar. Ecol. Prog. Ser. 226:235-247.
- Basham, E.H., J.A. Mulrennan and A.J. Obermuller. 1947. The biology and distribution of *Megarhinus* in Florida. Mosquito News. 7:64-66.

- Bates, M. 1949. The natural history of mosquitoes. The Macmillan Company. New York, New York. 379 pp.
- Bates, J.M. 1966. A new species of *Carunculina* (Unionidae: Pelecypoda) from the Savannah River, South Carolina. Occasional Papers of the Museum of Zoology. University of Michigan No. 646. 9 pp. +1 plate.
- Baumann, R.W. 1973. New *Megaleuctra* from the Eastern United States (Plecoptera: Leuctridae). Entomological News. 84:247-250.
- Bayer, F.M. 1961. The shallow water Octocorallia of the West Indian region. Martinus Nijhoff, The Hague, Netherlands.
- Beckvar, N., S. Salazar, M. Salazar and K. Finkelstein. 2000. An in situ assessment of mercury contamination in the Sudbury River, Massachusetts, using transplanted freshwater mussels (*Elliptio complanata*). Canadian Journal of Fisheries and Aquatic Sciences. 57(5):1103-1112.
- Belanger, T.V., C.G. Annis and D.D. VanEpps. 1990. Growth rates of the Asiatic clam, *Corbicula fluminea*, in the upper and middle St. Johns River, Florida. Nautilus. 104: 4-9.
- Bell, S.S. and B.C. Coull. 1978. Field evidence that shrimp predation regulates meiofauna. Oecologia (Berlin). 35:141-148.
- Bender, E.S. 1971. Studies on the life history of the stone crab, *Menippe mercenaria* (Say), in the Cedar Key area. M.S. thesis. University of Florida, Gainesville, Florida. 110 pp.
- Berry, P.F. 1976. Natal's ghost crabs. African Wildlife. 30:35-37.
- Berry, R.J., 1992. Animal Diversity. In *An Appraisal of Taxonomy in the 1990's*, summaries of papers given at a joint symposium of the Linnean Society and the Systematics Association. The Linnean Society and The Systematics Association
- Bertness, M.D. 1980. Growth and mortality in the ribbed mussel *Geukensia demissa* (Bivalvia: Mytilidae). The Veliger. 23:62-69.
- Bertness, M.D. and E. Grosholz. 1985. Population dynamics of the ribbed mussel, *Geukensia demissa*: The costs and benefits of an aggregated distribution. Oecologia. 67:192-204.
- Bick, G.H. 2003. At-risk Odonata of coterminous United States. Bulletin of American Odonatology. 7:41-56.
- Blainville, H.M.D. 1823. Journal de Physique. 96:132.134.
- Blair, A.C. 2003. Phenotypic variation and plasticity in *Leptogorgia virgulata*. Master's thesis. College of Charleston, Charleston, South Carolina.
- Blatzi, G.O., S.J. Harper, Y.K. Lin and E.A. Desy. 1999. Experimental analysis of population dynamics: scaling up to the landscape. Pages 107-127. In: Ecology of Small Mammals at the Landscape Level: Experimental Approaches, G. W. Barrett and J. D. Peles, editors. Springer-Verlag, New York.
- Bobo, M.Y., D. Richardson, L. Coen and W.D. Anderson. 2004. SCDNR-MRD. Fact Sheet for Quahog Parasite Unknown (QPX).
- Bogan, A.E. 1997. The silent extinction. American Paleontologist. 5(1): 2-4.
- Bogan, A.E. 2001. Extinction wave in the making. Pp.138-139. In: The Red Book, The Extinction Crisis Face to Face. A. Bräutigam and M.D. Jenkins, Editors. IUCN. Sierra Madre, California. 309 pp.

- Bogan, A.E. and J. Alderman. 2004. Workbook and key to the freshwater bivalves of South Carolina. USDA Forest Service. Columbia, South Carolina. 64 pp.
- Bohall-Wood, P. and M. Collopy. 1986. Abundance and habitat selection of two American kestrel subspecies in north-central Florida. *Auk*. 103:557-563.
- Bohman, L and G. Patterson. 1993. Hydrology assessment. *In*: M.D. Marshall, ed. Assessing change in the Edisto River Basin: An ecological characterization. SC Water Resources Commission Report No. 177. Columbia, South Carolina.
- Bolton. <http://www.cs.unc.edu/~hedlund/ants/catalog/BoltonUpdates.html>
- Bolton-Warberg, M. 2005. Effects of the organophosphate insecticide Dichlorvos on the daggerblade Grass Shrimp, *Palaemonetes pugio* and the eastern oyster, *Crassostrea virginica*, as it relates to mosquito spraying. M.S. Thesis, College of Charleston. Charleston, South Carolina. 123 pp.
- Borrero, F.J. 1987. Tidal height and gametogenesis: reproductive variation among populations of *Geukensia demissa*. *Biol. Bull.* 173:160-168.
- Borrero, F.J. and T.J. Hilbish. 1988. Temporal variation in shell and soft tissue growth of the mussel *Geukensia demissa*. *Marine Ecology Progress Series*. 42:9-15.
- Botton, M.L. and J.W. Ropes. 1987. The horseshoe crab, *Limulus polyphemus*, fishery and resource in the United States. *Marine Fisheries Review*. 49(3):57-61.
- Boyd, H.P. 1982. Checklist of Cicindelidae: The tiger beetles. Plexus Publishing, Inc. New Jersey. 31 pp.
- Braun, E.L. 1950. Deciduous forests of eastern North America. Blakiston Co. Philadelphia, Pennsylvania. 596 pp.
- Brockway, D., K. Outcalt, D. Tomczak and E. Johnson. 2005. Restoring longleaf pine forest ecosystem in the southern U.S. Pages 501-519 *In*: Restoration of Boreal and Temperate Forests, J. Stanturf and P. Madsen, editors. CRC Press. Boca Roton, Florida.
- Brooks, W.K. 1882. List of medusae found at Beaufort, N.C., during the summers of 1880 and 1881. *Stud. Biol. Lab. Johns Hopkins Univ.* 2:135-146.
- Brose, P., D. Van Lear and J. Berst. 2001. Bringing fire back: the changing regimes of the Appalachian mixed-oak forests. *J. For.* 99:3-35.
- Brousseau, D.J. 1982. Gametogenesis and spawning in a population of *Geukensia demissa* (Pelecypoda: Mytilidae) from Westport, Connecticut. *The Veliger*. 24: 247-251.
- Brown, L.N. 1997. A Guide to the Mammals of the Southeastern United States. The University of Tennessee Press. Knoxville, Tennessee. 256 pp.
- Burnham, K.P. and D.R. Anderson. 2001. Kullback-Leibler information as a basis for strong inference in ecological studies. *Wildlife Research*. 28:111-119.
- Burhans, D.E. 2002. Conservation assessment—Henslow's Sparrow *Ammodramus henslowii*. U.S. For. Serv. Gen. Tech Rep. NC-226. St. Paul, Minnesota. 46 pp.
- Burke, W.D. 1976. Biology and distribution of the macrocoelenterates of Mississippi Sound and adjacent waters. *Gulf Resource Report* 5:17-28.
- Butfiloski, W. J. 1996. Home range, movements and habitat utilization of female black bears in the mountains of South Carolina. M.S. Thesis, Clemson University. Clemson, South Carolina.
- Butler, P.A. 1968. Pesticides in the estuary. Pp 120-124. *In*: Proceedings of the marsh and estuary management symposium, J.D. Newsom (ed.). Louisiana State Univ. Baton Rouge, Louisiana.

- Butowski, N.H. (ed.). 1994. Chesapeake Bay and Atlantic coast horseshoe crab fishery management plan. Agreement Commitment Report 1994. United States Environmental Protection Agency, Chesapeake Bay Program. Annapolis, Maryland. # pp.
- Caine, E.A. 1978. Comparative ecology of epigeal and hypogean crayfish (Crustacea: Cambaridae) from northwestern Florida. *American Midland Naturalist*. 99:315-329.
- Calabrese, A. and H.C. Davis. 1966. The pH tolerance of embryos and larvae of *Mercenaria mercenaria* and *Crassostrea virginica*. *Biological Bulletin*. 131(3):427-436.
- Calder, D.R. and B.S. Hester. 1978. Phylum Cnidaria. *In: An annotated checklist of the biota of the coastal zone of South Carolina*. R.G. Zingmark (ed). University of South Carolina Press:87-93.
- Calder, D.R. and Prodgen. 1977. Guide to common jellyfishes of South Carolina. *South Carolina Sea Grant Marine Advisory Bulletin* 11.
- Caldwell, M.A. 1986. Autecology of the stone crab, *Menippe mercenaria* (Say), near the northern extent of its range. M. S. Thesis, College of Charleston. 72 pp.
- California Academy of Sciences at 875 Howard Street, San Francisco, California.
AntWeb database: <http://www.antweb.org/search.jsp>
- Camara, M.D, L.M.R. Calvo, R.B. Carnegie and S.K. Allen, Jr. 2004. Line-crossing within and among five commercial strains of hard clams, *Mercenaria mercenaria*: Growth, survival, and susceptibility to QPX disease at differing salinities. *J. Shellfish Res.* 23 (1):283-284.
- Camp, J. L. 2004. Use of a landscape ecological classification model to determine avian-habitat relationships in the mountains of South Carolina. M.S Thesis, Clemson University. Clemson, South Carolina.
- Carlton, C.E. and L.S. Nobles. 1996. Distribution of *Speyeria diana* in the highlands of Arkansas, Missouri and Oklahoma with comments on conservation. *Entomol. News*. 107:213-219.
- Carpenter, S.J. and D.W. Jenkins. 1945. A new state record of *Megarhinus rutilus* in South Carolina. *Mosquito News*. 5:88.
- Carriker, M.R. 1951. Observation on the penetration of tightly closing bivalves by *Busycon* and other predators. *Ecology*. 32(1):73-83.
- Cely, J. 2003. The South Carolina breeding bird atlas 1988-1995. South Carolina Department of Natural Resources. Columbia, South Carolina. 305 pp.
- Cely, J. E. and J. A. Sorrow, Jr. 1982. Distribution, status and habitat of the pine barrens treefrog in South Carolina. Study Completion Report. South Carolina Wildlife and Marine Resources Department.
- Cely, J. and J. Sorrow. 1988. American Kestrel and Common Barn-owl Nest Box Use in South Carolina. South Carolina Wildlife and Marine Resources Department Report No. 2. 18 pp.
- Clemson University Arthropod Collection (CUAC).
<http://entweb.clemson.edu/database/museum/>
- Cochran, R.E. and L.E. Burnett. 1996. Respiratory responses of the salt marsh animals, *Fundulus heteroclitus*, *Leiostomes xanthurus*, and *Palaemonetes pugio* to

- environmental hypoxia and hypercapnia and to the organophosphate pesticide, azinphosmethyl. *Journal of Experimental Marine Biology and Ecology*. 195:125-144.
- Coen, L.D. 1995. A review of the potential impacts of mechanical harvesting on subtidal and intertidal shellfish resources. SCDNR-MRRI. 46 pp.
- Coen, L.D., D.M. Knott, E.L. Wenner, N.H. Hadley and A.H. Ringwood. 1999a. Intertidal Oyster Reef Studies in South Carolina: Design, Sampling and Experimental Focus for Evaluating Habitat Value and Function. Pages 131-156. *In*: M.W. Luckenbach, R. Mann, J.A. Wesson (eds.), *Oyster Reef Habitat Restoration: A Synopsis and Synthesis of Approaches*. Virginia Institute of Marine Science Press, Gloucester Point, Virginia.
- Coen, L.D., K.L. Heck and L.G. Able, 1981. Experiments on competition and predation among shrimps of seagrass meadows. *Ecology*. 62:1484-1493.
- Coen, L.D., M. Bolton-Warberg, Y. Bobo, D. Richardson, A.H. Ringwood and G.I. Scott. 2004. Oyster Beds, pp. 127-147. *In*: R.F. Van Dolah, D.M. Sanger, and A.B. Filipowicz, Eds. A baseline assessment of environmental and biological conditions in the May River, Beaufort County, South Carolina: Final Report submitted to the Town of Bluffton. 226 pp.
- Coen, L.D. and M.W. Luckenbach. 2000. Developing success criteria and goals for evaluating oyster reef restoration: ecological function or resource exploitation? *Ecological Engineering*. 15:323-343.
- Coen, L.D., M.W. Luckenbach and D.L. Breitburg. 1999b. The role of oyster reefs as essential fish habitat: a review of current knowledge and some new perspectives. Pages 438-454. *In*: *Fish habitat: essential fish habitat and rehabilitation*, L. R. Benaka, editor. American Fisheries Society, Symposium 22, Bethesda, Maryland.
- Cofer-Shabica, S., J. Hackett, F. Phillips, G. Phipps, W. Reynolds and H. Robinson. 1999. The citizen's guide to the Charleston Harbor Project. Office of Ocean and Coastal Resource Management. Charleston, South Carolina. 76 pp.
- Conaway, L.K. And R.A. Hrabik. 1997. The Ohio shrimp, *Macrobrachium ohione*, in the Upper Mississippi River. *Trans. Missouri Acad. Sci.* 31:44-46.
- Conner, R.C. and R.M. Sheffield. 2000. South Carolina's forest resources -- 2000 update. U.S. Forest Service Southern Research Station, Resource Bulletin SRS-65.
- Contantine, D.G. 1961. Gestation period of the spotted skunk. *Journal of Mammology*. 42:421-422.
- Cooper, J.E. 2001. *Cambarus* (*Puncticambarus*) *hobbsorum*, a new crayfish (Decapoda: Cambaridae) from North Carolina. *Proceedings of the Biological Society of Washington*. 114(1):152-161.
- Cooper, J.E. 2003. A report on adventive crayfishes in North Carolina. A report prepared for the Subcommittee on Exotic Species of the Non-game Advisory Committee to the North Carolina Wildlife Resources Commission. 7 pp.
- Cooper, J.R., J.W. Gilliam, R.B. Daniels and W.P. Robarge. 1987. Riparian areas as filters for agricultural sediment. *Soil Science Society of America Journal*. 51:416-420.
- Coordinated Bird Monitoring Working Group of the International Association of Fish and Wildlife Agencies (CBMWG). 2004. *Monitoring Avian Conservation*:

- Rationale, Design, and Coordination. Available:
www.iafwa.org/bird_conservation/bird_monitoring.htm
- Corrington, J.D. 1927. Commensal association of a spider crab and a medusa. *Biology Bulletin*. 53:346-350.
- Covell, C.V. 1984. *A field guide to moths — eastern North America*. Houghton Mifflin Co. Boston, Massachusetts. 496 pp.
- Cox, J. 1996. Painted Bunting. Pages 644-651. *In: Rare and Endangered Biota of Florida, Vol V. Birds*, Rodgers et al. (eds.). University Press of Florida. Gainesville, Florida. 688 pp.
- Crabb, W.D. 1944. Growth, development, and seasonal weights of spotted skunks. *Journal of Mammology*. 25:213-221.
- Crabb, W.D. 1948. The ecology and management of the prairie spotted skunk in Iowa. *Ecol. Monogr.* 18:201-232.
- Crane, J. 1975. *Fiddler crabs of the world Ocypodidae: Genus Uca*. Princeton University Press, Princeton, New Jersey. 736 pp.
- Creaser, E.P. 1934. A new crayfish from North Carolina. *Occasional papers of the museum of Zoology, University of Michigan*. 285, 4 pages, figures 1-3.
- Culliton, T.J., M.A. Warren, T.R. Goodspeed, D.G. Remer, C.M. Blackwell and J.J. McDonough, III. 1990. Fifty years of population change along the nation's coasts 1960-2010. *Coastal Trends Series, Report No. 2*, Rockville, Maryland: NOAA, Strategic Assessment Branch.
- Cushman, R.M. 1985. Review of ecological effects of rapidly carrying flows downstream from hydroelectric facilities. *North American Journal of Fisheries Management* 5:330-339.
- Dahl, Thomas E. 1990. *Wetlands losses in the United States 1780's to 1980's*. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. 13 pp.
- Dame, R.F. 1979. The abundance, diversity and biomass of macrobenthos on North Inlet, South Carolina intertidal oyster reefs. *Proc. Natl. Shellf. Assoc.* 69:6-10.
- Dame, R. 1996. *Ecology of marine bivalves: an ecosystem approach*. CRC Marine Science Series. Boca Raton, Florida. 254 pp.
- Dame R, D. Bushek and T. Prins, 2001. The role of suspension feeders as ecosystem transformers in shallow coastal environments. *In K. Reise (Ed), The Ecology of Sedimentary Coasts*. Springer-Verlag, Berlin. Pp. 11-37.
- Dariks, H.V. 1988. Systematics in support of Entomology. *Annual Review of Entomology*. 33:271-96
- Davis, G.M. and M. Mulvey. 1993. Species status of Mill Creek *Elliptio*. Publication of the Savannah River site National Environmental Research Park Program. SRO-NERPO-22. 58 pp.
- DeBerry, D. In press. *Forest Ecosystem Conservation Handbook for Birds in Georgia: A Guide for Family Forest Owners*. American Forest Foundation, Washington, D.C.
- DeCoursey, P.J. and W.B. Vernberg. 1972. Effect of mercury on survival, metabolism, and behavior of larval *Uca pugnator*. *Oikos*. 23:241-247.
- DeFrancesco, D.J. 1988. *Soil Survey of Orangeburg County, South Carolina*. USDA, Soil Conservation Service.

- DeLancey L.B. 1989. Trophic relationships in the surf zone at Folly Beach, South Carolina. *J. Coastal Res.* 5:477-488.
- Dillon, R.T. 1992. Minimal hybridization between the hard clams *Mercenaria mercenaria* and *M. campechiensis*, co-occurring in South Carolina. *Bulletin of Marine Science.* 50:411-416.
- Dillon, R.T. Jr. 2000. The ecology of freshwater molluscs. Cambridge University Press, Cambridge. 509 pp.
- Dillon, R.T. and J.J. Manzi. 1989a. Genetics and shell morphology of hard clams (genus *Mercenaria*) from Laguna Madre, Texas. *Nautilus.* 103(2): 73-77.
- Dillon, R.T. and J.J. Manzi. 1989b. Genetics and shell morphology in a hybrid zone between the hard clams, *Mercenaria mercenaria* and *M. campechiensis*. *Marine Biology.* 100: 217-222.
- Dillon, R.T. and J.J. Manzi. 1992. Population genetics of the hard clam, *Mercenaria mercenaria*, at the northern limit of its range. *Canadian Journal of Fisheries and Aquatic Sciences* 49:2574-2578.
- Dodd, C.K., Jr. 1988. Synopsis of the biological data on the loggerhead sea turtle *Caretta caretta* (Linnaeus, 1758). U.S. Fish and Wildlife Service, Biological Report 88 (14). 110 pp.
- Dragoo, J.W. and R.L. Honeycutt. 1997. Systematics of mustelid-like carnivores. *Journal of Mammalogy.* 78:426-443.
- Drake, C.J. 1919. On some North American Tingidae (Hemiptera). *Ohio Journal of Science.* 19:417-421.
- Dudley, R.G., A.W. Mullis and J.W. Terrell. 1977. Movements of striped bass (*Morone saxatilis*) in the Savannah River, Georgia. *Trans. Amer. Fish. Soc.* 106(4):314-322.
- Duellman, W.E. 1999. Patterns of distribution of amphibians: A global perspective. Johns Hopkins University Press. Baltimore, Maryland. 633 pp.
- Duffy, J.T., C.E. Epifanio and L.A. Fuiman. 1997. Mortality rates imposed by three scyphozoans on red drum (*Sciaenops ocellatus* Linnaeus) larvae in field enclosures. *Journal of Experimental Marine Biology and Ecology* 212:123-131.
- Duncan, L.K. 1999. Reproductive success and nesting habitat of Painted Buntings, White-eyed Vireos and Northern cardinals on Sapelo Island, Georgia. M.S. Thesis, University of Georgia. Athens, Georgia. 79 pp.
- Dunkle, S.W. 2000. Dragonflies Through Binoculars. Oxford University Press. Oxford. 266 pp.
- Dunkle, S.W. 2004. Critical species of Odonata in North America. *International Journal of Odonatology.* 7:149-162.
- Dunning, J. and B. Watts. 1990. Regional differences in habitat occupancy by Bachman's Sparrow. *Auk.* 107:463-472.
- Edmunds, G F. and J.R. Traver. 1959. The classification of the Ephemeroptera I. Ephemeroidea: Behningiidae. *Annals of the Entomological Society of America.* 52:43-51.
- Ellis, M.M. 1931. Some factors affecting the replacement of the commercial freshwater mussels. U. S. Bureau of Fisheries Fishery Circular. 7:1-10.

- Ellis, M.M. 1936. Erosion silt as a factor in aquatic environments. 1936. Ecology. 17(1): 29-42.
- Elzinga, C.L., D. Salzer, J. Gibbs and J. Willoughby. 2001. Monitoring plant and animal populations. Blackwell Science Inc. Malden, Massachusetts.
- English, W.R. 1991. Ecosystem dynamics of a South Carolina Sandhills stream. PhD dissertation, Clemson University. Clemson, South Carolina. 118 pp.
- Erwin, T.L. 1997. Biodiversity at its utmost: tropical forest beetles. *In*: Reaka-Kudla, M.L., D.E. Wilson, and E.O. Wilson (eds.), Biodiversity II. Joseph Henry Press. Washington, D.C. pp.27-40.
- Erwin, T.L. 1983. Beetles and other Arthropods of the tropical forest canopies at Manaus, Brazil, samples with insecticidal fogging techniques. Pages 59-75. *In*: S.L. Sutton, T.C. Whitmore and A.C. Chadwick (eds.). Tropical rain forests: ecology and management. Blackwell Scientific Publications: Oxford.
- Erwin, T.L. 1988. The tropical forest canopy--The heart of biotic diversity. Pages 123-129. *In*: E.O. Wilson (ed.). Biodiversity. National Academy Press. Washington, D.C.
- Erwin, T.L., 1982. Tropical forests: their richness in Coleoptera and other arthropod species. *Coleopterists' Bulletin*. 36: 74-75
- Eversole, A.G. 1987. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (South Atlantic)--hard clam. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.75). U.S. Army Corps of Engineers, TR EL-82-4. 33 pp.
- Eversole, A.G. 1995. Distribution of three rare crayfish species in South Carolina, USA. *Freshwater Crayfish*. 8:113-120.
- Eversole, A.G. and B.C. Sellers. 1996. Comparison of relative crayfish toxicity values. *Freshwater Crayfish*. 11:274-285.
- Eversole, A.G., J.M. Whetstone and B.C. Sellers. 1996. Handbook of relative acute toxicity values for crayfish. S. C. Sea Grant Consortium, National Oceanic and Atmospheric Administration. 8 pp.
- Eversole, A.G. and W.D. Anderson. 1985. A common guide to whelks. South Carolina Sea Grant Consortium. 24 pp.
- Eversole, A.G., D.R. Jones and S.M. Welch. 2002. Crayfish of the Sumter National Forest: Chauga and Chattoga watershed. A final report to meet requirements of a cost-share agreement between Clemson University and Andrew Pickens Ranger District of the Sumter National Forest. 16 pp.
- Faxon, W. 1890. Notes on North American crayfishes, family astacidae. *Proceedings of the United States National Museum*. 7(785):619-634.
- Fink, T.J., T. Soldan, J.G. Peters and W.L. Peters. 1991. The reproductive life history of the predacious, sand-burrowing mayfly *Dolania americana* (Ephemeroptera: Behningiidae) and comparisons with other mayflies. *Canadian Journal of Science*. 69:1083-1093.
- Finley, D.B., G.I. Scott, S.L. Layman, L.A. Reed, M. Sanders, S.K. Sivertsen and E.D. Strozier. 1999. Case study: Ecotoxicological assessment of urban and agricultural nonpoint source runoff effects on the grass shrimp, *Palaemonetes pugio*. Pages 243-274. *In*: Ecotoxicology and Risk Assessment for Wetlands. M.A. Lewis, F.L.

- Mayer, R.L. Powell, M.K. Nelson, S.J. Klaine, M.G. Henry and G.W. Dickson, eds. SETAC PRESS, USA.
- Finucane, J.H. 1969. Ecology of the pompano (*Trachinotus carolinus*) and the permit (*T. falcatus*) in Florida. Trans. American Fisheries Soc. 98:437-456.
- Florida Fish and Wildlife Conservation Commission. 2003. Florida stone crab (*Menippe mercenaria*) and Gulf Stone Crab (*M. adina*). St. Petersburg, Florida. 4 pp.
- Floyd, M.A., J.C. Morse and J.V. McArthur. 1993. Aquatic insects of Upper Three Runs Creek, Savannah River Site, South Carolina. Part IV: caddisflies (Trichoptera) of the lower reaches. Journal of Entomological Science. 28(1):85-95.
- Forbes, W.T.M. (1954). Lepidoptera of New York and neighboring states, Part III (Noctuidae). Cornell University Agricultural Station. Ithaca, New York. 433 pp.
- Ford, F., J. Jay, A. Patel, M. Kile, P. Prommasith, T. Galloway, R. Sanger, K. Smith and M. Depledge. 2005. Use of Ecotoxicological Tools to Evaluate the Health of New Bedford Harbor Sediments: A Microbial Biomarker Approach. Environmental Health Perspectives. 113:186-191.
- Ford, S.E. 2001. Pests, parasites, diseases and defense mechanisms of the hard clam, *Mercenaria mercenaria*, pp. 591-628, In J.N. Kraueter and M. Castagna, eds. The biology of the hard clam, *Mercenaria mercenaria*, (Linné). Elsevier Science Publishers, Amsterdam.
- Ford, S.E., J.N. Kraueter, R.D. Barber and G. Mathis. 2002. Aquaculture-associated factors in QPX disease of hard clams: density and seed source. Aquaculture. 208:23-38.
- Forsythe, D.M. and W.B. Ezell, Eds. 1976. Proceedings of the First South Carolina Endangered Species Symposium. SC Wildlife & Marine Resources Dept. Columbia, South Carolina. (Available from the SC Dept. of Natural Resources, PO Box 167, Columbia, SC 29202)
- Fox, R. 2000. Stream geomorphology, laboratory exercises for limnology. Lander University. Greenwood, South Carolina.
- Fox, R.S. and E.E. Ruppert. 1985. Shallow-water marine benthic macroinvertebrates of South Carolina. University of South Carolina Press, Columbia, SC. 330 pp.
- Frank, J.H., G.A. Curtis and G.F. O'Meara. 1984. On the bionomics of bromeliad-inhabiting mosquitoes. *Toxorhynchites r. rutilus* as a predator of *Wyeomyia vanduzeei* (Diptera: Culicidae). Journal of Medical Entomology. 21:149-158.
- Franklin, R. 1997. Stewardship of Longleaf Pine Forests: A Guide for Landowners. Longleaf Alliance Report No. 2. The Longleaf Alliance, Solon Dixon Forestry Education Center, Andalusia, Alabama. 44 pp.
- Franklin, A.B. and T.M. Shenk. 1995. Meta-analysis as a tool for monitoring of wildlife populations. Pages 484-487. In: J.A. Bisonette and P.R. Krausman, eds. Integrating people and wildlife for a sustainable future. Proceedings of the First International Wildlife Management Congress. The Wildlife Society. Bethesda, Maryland.
- Franz, D.R. 1993. Allometry of shell and body growth in Ribbed Mussels (*Geukensia demissa*) in relation to shore level. Journal Experimental Marine Biology and Ecology. 174:193-207.

- Franz, D. R. 1997. Resource allocation in the intertidal salt-marsh mussel *Geukensia demissa* in relation to shore level. *Estuaries*. 20:134-148.
- Franz, D.R. 2001. Recruitment, survivorship, and age structure of a New York ribbed mussel population (*Geukensia demissa*) in relation to shore level - a nine year study. *Estuaries*. 24:319-327.
- Frost, C.C. 1990. Natural diversity and status of longleaf pine communities. In: G. Youngblood and D.L. Frederick (eds.): *Forestry in the 1990's - A changing environment*. Pinehurst, NC: Society of American Foresters. Regional Technical Conference. pp. 26-35.
- Frost, C.C. 1993. Four centuries of changing landscape patterns in the longleaf pine ecosystem. Pp. 17-44. *In*: S.M. Hermann, ed. *The longleaf pine ecosystem: ecology, restoration, and management*. Tall Timbers Fire Ecology Conference Proceedings, NO. 18. Tall Timbers Research Station, Tallahassee, Florida.
- Frost, C.C. 1998. Presettlement fire frequency regimes of the United States: a first approximation. Pages 70-81. *In*: T.L. Pruden and L.A. Brennan, eds. *Fire in ecosystem management: shifting the paradigm from suppression to prescription*. Tall Timbers Fire Ecology Conference Proceedings, No. 20. Tall Timbers Research Station, Tallahassee, Florida.
- Fulk, G.W. 1972. The effect of shrews on the space utilization of voles. *Journal of Mammalogy*. 53:461-478.
- Fuller, S.L.H. 1974. Clams and mussels (Mollusca: Bivalvia). Pp. 215-273. *In*: *Pollution ecology of freshwater invertebrates*, C.W. Hart, Jr. and S.L.H. Fuller, Eds. Academic Press. New York, New York. 389 pp.
- Fulton, M.H. and G.I. Scott, 1991. The Effects of certain intrinsic and extrinsic variables on the acute toxicity of selected organophosphorus insecticides to the mummichog, *Fundulus heteroclitus*. *Journal of Env. Sci and Health B*. 26:459-478.
- Fulton, M.H., G.I. Scott, A. Fortner, T.F. Bidleman and B. Ngabe. 1993. The effects of urbanization on small high-salinity estuaries of the southeastern United States. *Arch. Environ. Contam. Toxicol.* 25:476-484.
- Fulton, M.H., G.T. Chandler and G.I. Scott. 1997. Urbanization effects on the fauna of a southeastern U.S.A. bar-built estuary. *In*: *Sustainable development in the southeastern coastal zone*, F.J. Vernberg and W.B. Vernberg eds. Belle Baruch Library in Marine Science, University of South Carolina Press. Vol. 20:477-504.
- Fulton, M. and P.B. Key. 2001. Acetylcholinesterase inhibition in estuarine fish and invertebrates as an indicator of organophosphorous insecticide exposure and effects. *Environmental Toxicology and Chemistry*. 20:37-45.
- Gaddy, L.L. and J.C. Morse, 1985. Common Spiders of South Carolina, with an annotated checklist. Clemson University, SC Agricultural Experiment Station, Technical Bull. 1094:1-182.
- Gainey, L.F. and S.E. Shumway. 1988. A compendium of the responses of bivalve molluscs to toxic dinoflagellates. *J. Shellfish Research*. 7:6223-628.
- Gao, X. and J. Xu. 2002. Impact of Rizhao coastal area exploitation on inter-tidal habitats and zoobenthic communities. *Studia Marina Sinica*. 44:61-65.
- Garcia, J.O. 2004. Nesting Ecology of the Painted Bunting (*Passerina ciris*) in two habitat types in South Carolina. M.S.Thesis. Clemson University. 130 pp.

- Garner, J.T. and S.W. McGregor. 2001. Current status of freshwater mussels (Unionidae, Margaritiferidae) in the Muscle Shoals area of Tennessee River in Alabama (Muscle Shoals revisited again). *American Malacological Bulletin*. 16(1/2):155-170.
- George, R.Y., G. Bodnar, S.L. Gerlach and R.M. Nelson. 2001. Buffer zones promoting oligotrophication in golf course runoffs: fiddler crabs as estuarine health indicators. *Water Sci Technol*. 44(11-12):591-8.
- Gertsch, W.J. and N.I. Platnick, 1980. A revision of the American species of the family Atypidae (Araneae: Mygalymorphae). *Amer. Mus. Novitates*. 1704:1-39.
- Getz, L.L., J.E. Hofmann, B. McGuire and T.W. Dolan III. 2001. Twenty-five years of population fluctuation in *Microtus ochrogaster* and *M. pennsylvanicus* in three habitats in east-central Illinois. *Journal of Mammalogy*. 82:22-34.
- Gillis, P.L. and G.L. Mackie 1994. Impact of the zebra mussel, *Dreissena polymorpha*, on populations of Unionidae (Bivalvia) in Lake St. Clair. *Canadian Journal of Zoology*. 72(7): 1260-1271.
- Gordon, D.H., S.G. Jones and G.M. Phillips. 2003. Golf courses and bird communities in the South Atlantic Coastal Plain. *USGA Turfgrass and Environmental Research Online* 2:16 9pp. Accessed online on June 12, 2005 at <http://usgatero.msu.edu/v02/n16.pdf>
- Gose, B. 2004. Conservation Tillage. *Nature Conservancy*. 54(2): 20-21.
- Gottelli, N.J. 1991. Demographic Models for *Leptogorgia virgulata*, A shallow water gorgonian. *Ecology*. 72(2):457-467.
- Green, J.W. 1956. Revision of the nearctic species of *Photinus* (Lampyridae: Coleoptera). *Proceedings of the California Academy of Sciences*. 28:561-613.
- Gregg, C.S. and J.W. Fleeger. 1998. Grass shrimp *Palaemonetes pugio* predation on sediment- and stem-dwelling meiofauna: field and laboratory experiments. *Marine Ecology Progress Series*. 175:77-86.
- Griffith, G.E., Omernick, J.M., Comstock, J.A., Schafale, M.P., McNab, W. H., Lenat, D.R., MacPherson, T.F., Glover, J.B., and Shelburne, V.B., 2002. Ecoregions of North Carolina and South Carolina (color poster with map, descriptive text, summary tables, and photographs). Reston, Virginia. U.S. Geological survey Map (map scale 1:1,500,000).
- Grimes, B.H., F.T. Huish, J.H. Kerby and D. Xoran. 1989. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Mid-Atlantic)--Atlantic marsh fiddler. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.114). U.S. Army Corps of Engineers, TR EL-82-4. 18 pp.
- Guire, C.R., L.E. Nichols and R.T. Rachels. 1984. Biological investigations of flathead catfish in the Cape Fear River. *Proceedings of the Southeastern Association of Fish and Wildlife Agencies*. 35(1981):607-621.
- Guthrie, W. 1815. A New Geographical, Historical, and Commercial Grammar and Present State of the Various Kingdoms of the World. 2:292. 2nd American Edition. Johnson and Warner, Philadelphia. 1079 pp.
- Gutsell, J.S. 1928. The spider crab, *Libinia dubia*, and the jellyfish, *Stomolophus meleagris*, found associated at Beaufort, North Carolina. *Ecology* 9(3):358-359.

- Haertel-Borera, S.S., D.M. Allen and R.F. Dame. 2004. Fishes and shrimps are significant sources of dissolved inorganic nutrients in intertidal salt marsh creeks. *Journal of Experimental Marine Biology and Ecology*. 311:79–99.
- Hall, E.R. 1981. The Mammals of North America. John Wiley and Sons. New York, New York. 1280 pp.
- Hall, E.R. and K.R. Kelson. 1959. *The Mammals of North America*. Vol. 2. The Ronald Press Company. New York, New York. 537 pp.
- Hallegraeff, G.M. 1993. A review of harmful algal blooms and their apparent global increase. *Phycologia*. 32:79-99.
- Hamel, P. 1992. *Land Manager's Guide to the Birds of the South*. The Nature Conservancy, Southeastern Region. Chapel Hill, North Carolina. 437 pp.
- Hamilton, P.V. 1976. Predation on *Littorina irrorata* by *Callinectes sapidus* (Crustacea: Portunidae). *Bulletin of Marine Science*. 26:403-409.
- Hanlon, R. T., R. F. Hixon, and W. H. Hulet. 1983. Survival, growth, and behavior of the loliginid squids *Loligo plei*, *Loligo pealei*, and *Lolliguncula brevis* (Mollusca: Cephalopoda) in closed sea water systems. *Biol. Bull.* 165(3): 637-685.
- Hanson, J.F. 1941. Studies on the Plecoptera of North America. II. *Bulletin of the Brooklyn Entomological Society*. 36:57-666.
- Harpootlian, P.J. 2001. Scarab Beetles (Coleoptera: Scarabaeidae) of South Carolina. *Biota of South Carolina*, Clemson University. Volume 2:1-157.
- Harvey, R.S., R.L. Vannote and B.W. Sweeney. 1980. Life history, developmental process, and energetics of the burrowing mayfly *Dolania americana*. Pages 211-230. *In: Advances in Ephemeroptera Biology*, J. F. Flannagan and K. R. Marshall, Editors. Plenum. New York, New York.
- Heard, R.W. 1982. Guide to the common tidal marsh invertebrates of the northeastern Gulf of Mexico. Mississippi-Alabama Sea Grant Consortium, MASGP-79-0002. 82 pp.
- Heck, K.L., Jr. and L.B. Crowder. 1991. Habitat structure and predator-prey interactions in vegetated aquatic systems. Pages 281-295 *In: Habitat structure: the physical arrangement of objects in space*, S.S. Bell, E.D. McCoy and H.R. Mushinsky, editors. Chapman and Hall, London.
- Heck, K.L., Jr. and T.A. Thoman. 1981. Experiments on predator-prey interactions in vegetated aquatic habitats. *Journal Experimental Marine Biology and Ecology*. 53:125-134.
- Hedlund, K.S. 1995. Updates for Bolton's Ant Catalog. *A New General Catalogue of the Ants of the World*. Harvard University Press.
<http://www.cs.unc.edu/~hedlund/ants/catalog/BoltonUpdates.html>
- Helfrich, L.A., C. Liston, S. Hiebert, M. Albers and K. Frazer. 1999. Influence of low-head diversion dams on fish passage, community composition, and abundance in the Yellowstone River, Montana. *Regulated Rivers: Research and Management*. 7:21-32.
- Hellou, J. and R.J. Law. 2003. Stress on stress response of wild mussels, *Mytilus edulis* and *Mytilus trossulus*, as and indicator of ecosystem health. *Environmental Pollution*. 126:407-416.

- Henderson, F.R. 1976. How to handle problem skunks. Pp 35-38. *In*: Proc. 2nd Great Plains Wildl. Damage Control Workshop, 9-11 December 1975. Manhattan, Kansas. 212 pp.
- Hendrix, J.P., L.D. McKinney, R.R. Salzer, and R.J. Case. 1981. Salinity tolerance and the responses to hypo osmotic stress of the bay squid *Lolliguncula brevis*, a euryhaline cephalopod mollusk. *Comp. Biochem. Physiol.* 69A: 641-648.
- Hines, A.H. 1982. Allometric constraints and variables of reproductive effort in brachyuran crabs. *Marine Biology.* 69: 309-320.
- Hobbs, H.. Jr. 1947a. A key to the crayfishes of the *Pictus* subgroup of the genus *Procambarus*, with the description of a new species from South Carolina. *The Florida Entomologist.* 3(3):25-31.
- Hobbs, H.H. Jr. 1947b. Two new crayfishes of the genus *Procambarus* from Georgia, with notes on *Procambarus pubescens* (Faxon) (Decapoda, Astacidae). *Quarterly Journal of the Florida Academy of Sciences.* 9(1):1-18.
- Hobbs, H.H. Jr. 1956a. A new crayfish of the extraneus section of the genus *Cambarus* with a key to the species of the section (Decapoda, Astacidae). *Proceedings of the Biological Society of Washington.* 69:115-122.
- Hobbs, H.H. Jr. 1956b. A new crayfish of the genus *Procambarus* from South Carolina (Decapoda: Astacidae). *Journal of the Washington Academy of Sciences.* 46(4):117-121.
- Hobbs, H.H. Jr. 1958. Two new crayfishes of the genus *Procambarus* from South Carolina and Georgia. *Notulae Naturae of The Academy of Natural Sciences of Philadelphia.* 307:10 pages, figures 1-26.
- Hobbs, H.H. Jr. 1981. *The Crayfishes of Georgia.* Smithsonian Contributions to Zoology. 318. 549 pp.
- Hobbs, H.H. Jr. 1983. *Distocambarus* (Fitzcambarus) *Carlsoni*, a new subgenus and species of crayfish (Decapoda: Cambaridae) from South Carolina. *Proceedings of the biological society of Washington.* 96(3):429-439.
- Hobbs, H.H. Jr. and P.H. Carlson 1983. *Distocambarus* (Decapoda: Cambaridae) elevated to generic rank, with an account of *D. crockeri*, new species, from South Carolina. *Proceedings of the biological society of Washington.* 96(3):420-428.
- Hobbs, H.H. Jr. 1989. An Illustrated Checklist of the American Crayfishes (Decapoda: Astacidae, Cambaridae, and Parastacidae). *Smithsonian Contributions to Zoology.* 480. 236 pp.
- Hobbs, H.H. III. 1991. Decapoda. Pages 823-858. *In*: Ecology and classification of North American freshwater invertebrates, J. Thorp and A.P. Covich, eds. Academic Press. New York, New York. 911 pp.
- Hobbs, H.H. Jr. and E.T. Hall, Jr. 1974. pages 195-214. *In*: Pollution ecology of freshwater invertebrates, C.W. Hart, Jr. and S.L.H. Fuller, eds. Academic Press. New York, New York. 389 pp.
- Hobbs, H.H. III, J.P. Jass and J. V. Huner. 1989. A review of global crayfish introductions with particular emphasis on two North American species (Decapoda, Cambaridae). *Crustaceana.* 56(3):299-316.
- Hobbs, H.H. 2001. Decapoda. *In*: J. H. Thorpe and A. P. Covich (eds.). Ecology and classification of North American freshwater invertebrates. Academic Press, San Diego, California. 911 pp.

- Hoffmann, M.P., and A.C. Frodsham. 1993. Natural Enemies of Vegetable Insect Pests. Cooperative Extension, Cornell University, Ithaca, NY. 63 pp.
- Holmes, J.S. 1911. Forest Conditions in Western North Carolina. North Carolina Geol. Econ. Surv. Bull. 23. 111 pp.
- Holthausen, R. et al. In Press. Recommendations for monitoring terrestrial animal species and their habitats. Report of the Wildlife Monitoring Steering Committee. US Forest Service, Howard, T.E. and H.E. LeGrand. 2004. Notes on North Carolina butterflies. www.ncsparks.net/butterfly/11th.html
- Hoover, Martin D. 1950. Hydrologic Characteristics of South Carolina Piedmont Forest Soils. Soil Science Society of America Proceedings. 14: 353-358.
- Howard, W.E., and R.E. Marsh. 1982. Spotted and hog-nosed skunks. Pages 664-673 *In: Wild mammals of North America: Biology, Management, and Economics*, J.A. Chapman and G.A. Feldhamer, editors. Johns Hopkins University Press. Baltimore, Maryland. 1147 pp.
- Howden, H.F. 1955. Biology and taxonomy of North American beetles of the subfamily Geotrupinae with revisions of the genera *Bolbocerosoma*, *Eucanthus*, *Geotrupes* and *Peltotrupes* (Scarabaeidae). Proceedings of the United States National Museum 104:151-319.
- Howe, W.H. 1975. The butterflies of North America. Doubleday & Co. Garden City, New York. Xiii + 633 pp.
- Hsieh, Y-H.P., F.M. Leong, and J. Rudloe. 2001. Jellyfish as food. *Hydrobiologia* 451:11-17.
- Huggins, D.G. and W.U. Brigham. 1982. Odonata. *In: Aquatic Insects and Oligochaetes of North and South Carolina*. Midwest Aquatic Enterprises, A.R. Brigham, W.U. Brigham and A. Gnilka, eds. Mahomet, Illinois.
- Hunter, C., R. Katz, D. Pashley and B. Ford. 1999. Partners In Flight Bird Conservation Plan for the Southern Blue Ridge (Physiographic Area 23). American Bird Conservancy. The Plains, Virginia. 101 pp.
- Hunter, W.C. and D. Demarest. 2005. All-bird conservation list, abridged version 1.0 for BCR 27, 28, and 29. U.S. Fish and Wildlife Service, Atlanta, Georgia. (Unpublished but available upon request from the authors).
- Hunter, W., M. Carter, D. Pashley and K. Barker. 1993. The Partners in Flight prioritization process scheme. Pages 109-119. *In: Status and Management of Neotropical Migratory Birds General Technical Report RM-229*. USDA, Forest Service, Rocky Mountain Forest and Range Experiment Station, D. Finch and P. Stangel, editors. Fort Collins, Colorado. 422 pp.
- Hunter, W.C., D.N. Pashley and R.E.F. Escano. 1993. Neotropical migratory landbird species and their habitats of special concern within the Southeast Region. Pages 159-171. *Status and Management of Neotropical Migratory Birds*, *In: Gen. Tech. Rep. RM-229*, D.M. Finch and P.W. Stangel, eds. Fort Collins, Colorado: U.S. department of Agriculture, Forest Service, Rocky Mountain Forest and range Experiment Station. 422 pp.
- Hunter, W., D. Pashley and R. Escano. 1993. Neotropical migratory landbird species and their habitats of special concern within the Southeast Region. Pages 159-171. *In: Status and Management of Neotropical Migratory Birds General Technical Report RM-229*. USDA, Forest Service, Rocky Mountain Forest and Range

- Experiment Station, D. Finch and P. Stangel, editors. Fort Collins, Colorado. 422 pp.
- Hunter, W.C., L. Peoples and J. Collazo. 2001. Partners In Flight Bird Conservation Plan for the South Atlantic Coastal Plain (Physiographic Area 3). American Bird Conservancy. The Plains, Virginia. 166 pp.
- Imm, D. and K. McLeod. In press. Plant communities. Ecology and management of a Forested Landscape: 50-years on the Savannah River Site, J. Kilgo and J. Blake, editors. Island Press. Washington, D.C.
- Integrated Taxonomic Information System (IT IS). 2005. Online database for taxonomic information. Available <http://www.itis.usda.gov/index.html>.
- Jefferson, T.A., S. Leatherwood and M.A. Webber. 1993. FAO species identification guide. Marine mammals of the world. Rome, FAO. 320 pp.
- Jenkins, D.W. and S.J. Carpenter. 1946. Ecology of the tree hole breeding mosquitoes of Nearctic North America. Ecological Monographs. 16:31-48.
- Jenkins, D.W. 1949. *Toxorhynchites* mosquitoes of the United States. Proceedings of the Entomological Society of Washington. 2:225-229.
<http://wrbu.si.edu/www/REF/065590-0.PDF>
- Jenkins, R.E., and N.M. Burkhead. 1993. Freshwater Fishes of Virginia. American Fisheries Society. Bethesda, Maryland. 1079 pp.
- Johnson, C.E. 1921. The "hand-stand" habit of the spotted skunk. Journal of Mammology. 2:87-89.
- Johnson, R.I. 1970. The systematics and zoogeography of the Unionidae (Mollusca: Bivalvia) of the southern Atlantic Slope Region. Bulletin of the Museum of Comparative Zoology. 140(6):263-449.
- Jones, C. and E. Schreiber. 1994. The carnivores, *Toxorhynchites*. Wing Beats. Vol. 5(4):4. <http://www.rci.rutgers.edu/~insects/sp2.htm>
- Jones, J.K., Jr., R.S. Hoffman, D.W. Rice, C. Jones, R.J. Baker and M.D. Engstrom. 1992. Revised checklist of North American mammals north of Mexico, 1991. Occasional Papers, The Museum, Texas Tech University. 146:1-23.
- Jones, O. and R. Endean. 1976. Biology and Geology of Coral Reefs, vols. 2 & 3. New York: Academic Press Inc. Pp. 216-250.
- Jordan, T.E. and I. Valiela. 1982. A nitrogen budget of the ribbed mussel, *Geukensia demissa*, and its significance in nitrogen flow in a New England salt marsh. Limnology and Oceanography. 27: 75-90.
- Kana, T.W. 1988. Beach erosion in South Carolina. Publication of the SC Sea Grant Consortium, March 1988, SCCG-SP-88-1. 55 pp.
- Keinath, J.A., J.A. Musick and R.A. Byles. 1987. Aspects of the biology of Virginia's sea turtles: 1979-1986. Virginia Journal of Science. 38(4):329-336.
- Kelly, N.M. 2001. Changes in the landscape pattern of coastal North Carolina wetlands under the Clean Water Act, 1984-1992. Landscape Ecology. 16:3-16.
- Kemp, P.F., S.Y. Newall, and C. Krambeck. 1990. Effects of filter-feeding by the ribbed mussel *Geukensia demissa* on the water-column microbiota of *Spartina alterniflora* saltmarsh. Marine Ecology Progress Series. 50:119-131.

- Kern, W.H., Jr. 2001. Wildlife in Danger of Extinction: Central Florida. Department of Wildlife Ecology and Conservation. Florida Cooperative Extension Service. Institute of Food & Agricultural Sciences. University of Florida. Publication WE-60. <http://edis.ifas.ufl.edu/pdf/FILES/UW/UW11500.pdf>
- Key, P. B. and G.I. Scott. 1993. Lethal and sublethal effects of chlorpyrifos exposure on adult and larval stages of the grass shrimp, *Palaemonetes pugio*. J. Environ. Sci. Health B. 28: 621-640.
- Key, P.B. and M.H. Fulton. 1993. Lethal and sub-lethal effects of chlorpyrifos exposure on adult and larval stages of the grass shrimp, *Palaemonetes pugio*. Journal of Environmental Science and Health. B28(5):621-640.
- Key, P.B., M.H. Fulton, G.I. Scott, S.L. Layman and E.F. Wirth. 1998a. Lethal and sublethal effects of malathion on three life stage of the grass shrimp, *Palaemonetes pugio*. Aquatic Toxicology. 40:311-322.
- Key, P.B., M.H. Fulton, S.L. Layman and G.I. Scott, 1998b. Azinphosmethyl exposure to grass shrimp (*Palaemonetes pugio*) life stages with emphasis on larval acetylcholinesterase activity. Bulletin of Environmental Contamination and Toxicology. 60:645-650.
- King, P.B. 1959. The evolution of North America. The Princeton University Press. Princeton, New Jersey. 175 pp., index.
- Kinlaw, A. 1995. *Spilogale putorius*. Mammalian Species. 151:1-4.
- Knisley, C.B. and T.D. Schultz. 1997. Tiger beetles and a guide to the species of the South Atlantic states. Virginia Museum of Natural History, Martinsville. 209 pp.
- Kirby, M.X. 2004. Fishing down the coast: Historical expansion and collapse of oyster fisheries along continental margins. PNAS. 101:13096-13099.
- Klatt, B.J. 1986. Factors affecting the distribution and abundance of *Microtus ochrogaster* and *M. pennsylvanicus* in east-central Illinois. Ph.D. Dissertation, University of Illinois at Urbana-Champaign.
- Knott, D., E. Wenner and P. Wendt. 1997. Effects of pipeline construction on the vegetation and macrofauna of two South Carolina, USA salt marshes. Wetlands. 17 (1):65-81.
- Knott, D.M., D.R. Calder and R. F. VanDolah. 1983. Macrobenthos of sandy beach and nearshore environments at Murrells Inlet, South Carolina, U.S.A. Estuarine, Coastal and Shelf Sciences 16:573-590.
- Komar, P.D. 1998. Beach processes and sedimentation. Simon and Schuster, Upper Saddle River, New Jersey. Pp. 71-72.
- Koss, R.W. 1969. Ephemeroptera eggs and their contribution to phylogenetic studies of the order. Unpublished Ph.D. Dissertation. University of Utah. Salt Lake City, Utah.
- Kovacik, C.F. and J.J. Winberry. 1987. South Carolina. The making of a landscape. Univ of SC Press. Columbia, South Carolina.
- Kraeuter, J.N. and E.M. Setzler. 1975. The seasonal cycle of scyphozoa and cubozoa in Georgia estuaries. Bulletin of Marine Science 25(1):66-74.
- Kraeuter, J.N. and M. Castagna, eds. 2001. Biology of the hard clam. Developments in Aquaculture and Fisheries Science-31. Elsevier, Amsterdam, 751 pp.
- Kramp, P.L. 1961. Synopsis of the medusae of the world. Journal of the Marine Biological Association U.K. 40:7-469.

- Krebs, C.J. and J.H. Myers. 1974. Population Cycles in Small Mammals. *Advances in Ecological Research*. 8:267-399.
- Krebs, C.T., I. Valiela, G.R. Harvey and J.R. Teal. 1974. Reduction in field populations of fiddler crabs by the uptake of chlorinated hydrocarbons. *Mar. Pollut. Bull.* 5:140-142.
- Kreeger, D.A., R.I.E. Newell and C.J. Langdon. 1990. Effect of tidal exposure on utilization of dietary lignocellulose by the ribbed mussel *Geukensia demissa* (Dillwyn) (Mollusca: Bivalvia). *Journal Experimental Marine Biology and Ecology*. 144:85-100.
- Kuenzler, E.J. 1961. Structure and energy flow of a mussel population in a Georgia salt marsh. *Limnology and Oceanography*. 6:191-204.
- Kynard, B. 1997. Life history, latitudinal patterns, and status of shortnose sturgeon. *Environ. Biol. Fish.* 48:319-334.
- Lafontaine, J.D. 1998. Noctuoidea, Noctuidae (part) *In: The Moths of America North of Mexico*, fasc. 27.3, R.B. Dominick et al., editors. The Wedge Entomological Research Foundation. Washington, DC.
- Larson, R.J. 1976. Marine flora and fauna of the northeastern United States. Cnidaria: Scyphozoa. NOAA Tech Report NMFS Cir. 397:18p.
- Larson, R.J. 1986. Feeding and growth of the sea nettle *Chrysaora quinquecirrha* (DeSor) in the laboratory. *Estuaries* 9:376-379.
- Larson, R.J. 1991. Diet, prey selection and daily ration of *Stomolophus meleagris*, a filter-feeding Scyphomedusae from the NE Gulf of Mexico.
- Laughlin, R.A. and R.J. Livingston. 1982. Environmental and trophic determinants of the spatial/temporal distribution of the brief squid (*Lolliguncula brevis*) in the Apalachicola estuary (North Florida, USA). *Bull. Mar. Sci.* 32(2): 489-497.
- Lawrence, C.B. 1976. Soil survey of Lexington County, South Carolina. USDA, Soil Conservation Service. Washington.
- Leight, A.K., G.I. Scott, M.H. Fulton and J.W. Daugomah, 2005. Long-term monitoring of grass shrimp *Palaemonetes* spp. population metrics at sites with agricultural runoff influences. *Integrative and Comparative Biology* (formerly *American Zoologist*). In press.
- Lent, C.M. 1967. Effects and adaptive significance of air-gaping by the ribbed mussel, *Modiolis (Arcuatula) demissus* (Dillwyn). Ph.D. Dissertation, Univ. of Del., Newark, DE.
- Lent, C.M. 1969. Adaptations of the ribbed mussel, *Modiolis demissus* (Dillwyn), to the intertidal habitat. *Am. Zool.* 9:283-292.
- Levin, P.S. and D.A. Levin. 2002. The real biodiversity crisis. *American Scientist*. 90:6-8.
- Lewis, L.A. 2001. Biological evaluation for the environmental assessment of the Tsali forest health project. www.cs.unca.edu/nfsnc/nepa/cheoah/be.pdf
- Lewison, R.L., S.A. Freeman and L.B. Crowder. 2004. Quantifying the effects of fisheries on threatened species: the impact of pelagic longlines on loggerhead and leatherback sea turtles. *Ecology Letters*. 7:221-231.

- Linnaeus, C. 1758. *Systema naturae per regna tria naturae, secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*. Tenth ed. Laurentii Salvii, Stockholm. 1:1-824.
- Lloyd, J.E. 1969. Flashes, behavior, and additional species of nearctic *Photinus* fireflies. *Coleopterists' Bulletin*. 23: 29-40.
- Lloyd, J. E. 2002. [Chapter] 62. Lampyridae Latreille 1817, pp 187-196. *In: American Beetles*, Vol. 2., R.H. Arnett, Jr., M.C. Thomas, P.E. Skelley and J.H. Frank, editors. CRC Press. New York, New York.
- Lockaby, B.G., R.H. Jones, R.G. Clawson, J.S. Meadows, J.A. Stanturf and F.C. Thornton. 1997. Influences of harvesting on functions of floodplain forests associated with low-order, blackwater streams. *Forest Ecol. and Man*. 90:217-224.
- Lodge, D.M., M.W. Kershner, J.E. Aloi and A.P. Covich. 1994. Effects of an omnivorous crayfish (*Orconectes rusticus*) on a freshwater littoral food web. *Ecology*. 75(5):1265-1281.
- Lodge, D.M., C.A. Taylor, D.M. Holdich and J. Skurdal. 2000a. Nonindigenous crayfishes threaten North American freshwater biodiversity: lessons from Europe. *Fisheries*. 25(8):7-20.
- Lodge, D.M., C.A. Taylor, D.M. Holdich and J. Skurdal. 2000b. Reducing impacts of exotic crayfish introductions: new policies needed. *Fisheries*. 25(8):21-23.
- Logsdon, D.E. 1993. Suitability of side channel border and wing dam habitats for fishes overwintering in Pool 26 of the Mississippi River. Master's Thesis, Southern Illinois University, Carbondale, Illinois.
- Lowrance, R., S. McIntyre and C. Lance. 1988. Erosion and deposition in a field/forest system estimated using cesium-137 activity. *Journal of Soil and Water Conservation*. 41(4): 266-271.
- Lowther, P.E., S.M. Lanyon and C.W. Thompson. 1999. (online) Painted Bunting (*Passerina ciris*). *In: The Birds of North America*, No. 398, A. Poole and F. Gill, eds. The Birds of North America, Inc. Philadelphia, Pennsylvania. Accessed on June 12, 2005 at <http://www.bna.birds.cornell.edu/bna>
- Luckenbach, M.W., L.D. Coen, P. G. Ross, Jr., and J.A. Stephen. 2005. Oyster reef habitat restoration: relationships between oyster abundance and community development based on two studies in Virginia and South Carolina. *J. of Coastal Research Special Issue* (in press).
- Lund, S.A. 1997. The effects of chlorpyrifos and malathion exposure on acetylcholinesterase activity in the embryos of the grass shrimp, *Palaemonetes pugio*. M.S. Thesis. University of Charleston. Charleston, South Carolina. 63 pp.
- Lund, S.A., M.H. Fulton and P.B. Key. 2000. The sensitivity of grass shrimp, *Palaemonetes pugio*, embryos to organophosphate pesticide-induced acetylcholinesterase inhibition. *Aquatic Toxicology*. 48:127-134.
- Lydeard, C. and R.L. Mayden. 1995. A diverse and endangered aquatic ecosystem of the southeast United States. *Conservation Biology*. 9:800-805.
- Lydeard, C., R.H. Cowie, W.F. Ponder, A.E. Bogan, P. Bouchet, S.A. Clark, K.S. Cummings, T.J. Frest, O. Gargominy, D.G. Herbert, T. Hershler, K.E. Perez, B. Roth, M. Seddon, E.E. Strong and F.G. Thompson. 2004. The global decline of nonmarine mollusks. *Bioscience*. 54(4): 321-330.

- MacDonald, S.O., J.A. Cook, G.L. Kirkland, Jr. and Eric Yensen. 1998. *In: North American Rodents: Status Survey and Conservation Action Plan*, D.J. Hafner, E. MacKenzie, C.L., A. Morrison, D.L. Taylor, V.G. Burrell, Jr., W.S. Arnold and A.T. Wakida-Kusonoki. 2002. Quahogs in Eastern North America: Part I, Biology, Ecology, and Historical Uses. *Marine Fisheries Review*. 64(2):55 pp.
- Magalhaes, H. 1948. An ecological study of the genus *Busycon* at Beaufort, North Carolina. *Ecological Monographs*. 18(3):377-409.
- Marshall, W.D. 1993. Biological diversity. *In: Marshall, W.D, ed. Assessing change in the Edisto River Basin: An ecological characterization*. SC Water Resources Commission Report No. 177. Columbia, South Carolina.
- Martof, B.S., W.M. Palmer, J.R. Bailey and J.R. Harrison III. 1980. *Amphibians and reptiles of the Carolinas and Virginia*. University of North Carolina Press. Chapel Hill, North Carolina. 264 pp.
- Mathews, T.D., F.W. Stapor, Jr., C.R. Richter, J.V. Miglarese, M.D. McKenzie and L.A. Barclay, eds. 1980. *Ecological characterization of the Sea Island coastal region of South Carolina and Georgia*. Vol. 1: Physical features of the characterization area. U.S. Fish and Wildlife Service, Office of Biological Services, Washington, D.C. FWS/OBS-79/40. 212 pp.
- Mayer, A.G. 1910. *Medusae of the world, Hydromedusae and Scyphomedusae*. Carnegie Institute Washington, Publication 109(3):735p.
- Mayer, F.L. 1987. *Acute toxicity handbook of chemicals to estuarine organisms*. U.S. Environmental Protection Agency Research Laboratory, EPA Report Number 600/8-87/017, Gulf Breeze, Florida.
- McAtee, W.L. 1917. Key to the Nearctic species of *Leptoyppha* and *Leptostyla* (Heteroptera Tingidae). *Bulletin of the Brooklyn Entomological Society*. 12:55-64.
- McCafferty, W.P. 1971. *Systematics of the mayfly superfamily Ephemeroidea (Ephemeroptera)*. Unpublished Ph.D. Dissertation. University of Georgia. Athens, Georgia.
- McCafferty, W.P. 1975. *The Burrowing mayflies (Ephemeroptera: Ephemeroidea) of the United States*. *Transactions of the American Entomological Society*. 101:447-504.
- McCafferty, W.P. 2004. *Higher classification of the burrowing mayflies. (Ephemeroptera: Scaphodonta)*. *Entomological News*. In press.
- McCann, J.A., L.N. Arkin and J.D. Williams. 1996. *Nonindigenous aquatic and selected terrestrial species of Florida – Status, pathway, and time of introduction, present distribution, and significant ecological and economic effects*. Southeastern Biological Science Center, Gainesville, Florida. 256 pp.
- McClure, M.S. 1987. *Biology and control of hemlock wooly adelgid*. Connecticut Agricultural Experiment Station Bull 851, New Haven, Connecticut.
- McCord, J.W. 2003. *Investigation of fisheries parameters for anadromous fishes in South Carolina*. Completion Rep. to NMFS, Project No. AFC-53. SCDNR, Charleston, SC. 145 pp.
- McCord, J.W., M.L. Rekow, P. Maier, J.D. Whitaker, N. Shea, A. Segars, J. Ayers and R. Browder. 2004. *An Ecological Characterization of Coastal Hammocks in South*

- Carolina. Draft Final Report to Ocean and Coastal Resources Management, South Carolina Department of Health and Environmental Control.
- McCraith B.J., L.R. Gardner, D.S. Wethey and W.S. Moore. 2003. The effect of fiddler crab burrowing on sediment mixing and radionuclide profiles along a topographic gradient in a southeastern salt marsh. *Journal of Marine Research*. 61(3):359-390.
- McDowall, R.M. 1988. *Diadromy in fishes: migrations between freshwater and marine environments*. Timber Press, Portland, Oregon. 308 pp.
- McNamara, J.C. 1987. The time course of osmotic regulation in the freshwater shrimp *Macrobrachium olfersii* (Wiegmann) (Decapoda, Palaemonidae). *Journal of Experimental Marine Biology and Ecology*. 107:245-251.
- Metzner-Roop, K.L. 1994. The effect of aquaculture on the genetics of natural populations of the hard clam, *Mercenaria mercenaria* (L). *J. Shellfish Res.* 13:487-491.
- Meyers, J.M. 2004. (online) Bird without equal: the story of Georgia's painted bunting. U.S.G.S. Patuxent Wildlife Research Center. Laurel, Maryland. Accessed on May 16, 2005 at <http://www.pwrc.usgs.gov/pabu>
- Meyer, J.L. and C.A. Couch. 2000. Influence of watershed land use on stream ecosystem structure and function. Environmental Protection Agency and University of Georgia. EPA Grant Number: R824777. <http://es.epa.gov/ncercq/final/grants/95/water/meyer.html>
- Michener, C. D. 1945. Seasonal variation in certain species of mosquitoes. (Diptera, Culicidae). *Journal of the New York Entomological Society*. 53:293-300.
- Miner, R. M. 1950. *Field Book of Seashore Life*. G.P. Putnam's Sons. New York, New York. Pg. 596.
- Missouri Natural Heritage Program. 2004. Missouri Species and Communities of Conservation and Concern Checklist. Missouri Department of Conservation. Jefferson City, MO. 47 pp.
- Moore, F.R., S.A. Gauthreaux, Jr., P. Kerlinger and T.R. Simons. 1995. Habitat requirements during migration: important link in the conservation of Neotropical landbird migrants. Pp. 121-144 *In*: T.E. Martin and D.M. Finch (eds.). *Ecology and management of Neotropical migratory birds: a synthesis and review of critical issues*. Oxford University Press. New York, New York.
- Moran, M.D. and C.D. Baldrige. 2002. Distribution of the Diana Fritillary, *Speyeria diana* (Nymphalidae) in Arkansas, with notes on nectar plant and habitat preference. *J. Lepid. Soc.* 56:162-165.
- Morse, J.C. 1990 ("1988"). *Protophila morettii* (Trichoptera: Glossosomatidae), a new caddisfly species from the southeastern United States. *Rivista di Idrobiologia*. 27(2-3):299-308.
- Morse, J.C., B.P. Stark, W.P. McCafferty and K.J. Tennessen. 1998 ("1997"). Chapter 2. Southern Appalachian and other southeastern streams at risk: implications for mayflies, dragonflies and damselflies, stoneflies, and caddisflies. Pages 17-42. *In*: *Aquatic Fauna in Peril: the Southeastern Perspective*, G.W. Benz and D.E. Collins, editors. Special Publication 1, Southeast Aquatic Research Institute. Lenz Design and Communications. Decatur, Georgia. 554 pp.

- Morse, J.C., J.W. Chapin, D.D. Herlong and R.S. Harvey. 1980. Aquatic insects of Upper Three Runs Creek, Savannah River Plant, South Carolina. Part I: Orders other than Diptera. *Journal of the Georgia Entomological Society*. 15:73-101.
- Morse, J.C., J.W. Chapin, D.D. Herlong and R.S. Harvey. 1983. Aquatic insects of Upper Three Runs Creek, Savannah River Plant, South Carolina. Part II: Diptera. *Journal of the Georgia Entomological Society*. 18(3):303-316.
- Moths of North America—Noctuidae: website at <http://www.npwrc.usgs.gov/resource/distr/lepid/moths/usa/noctuida.htm>
- Moulton, J.K. and P.H. Adler. 1997. The genus *Ectemnia* (Diptera: Simuliidae): taxonomy, polytene chromosomes, new species, and phylogeny. *Canadian Journal of Zoology*. 75:1896-1915.
- Murphy, R.C. 1985. Factors affecting the distribution of the introduced bivalve, *Mercenaria mercenaria*, in a California lagoon- the importance of bioturbation. *Journal of Marine Research*. 43:673-692.
- Murray, C.H. 1995. Carolina rocks! The geology of South Carolina. Sandlapper Publishing Co., Inc. Orangeburg, South Carolina.
- Myers, R. K., R. Zahner and S.M. Jones. 1986. Forest Habitat Regions of South Carolina from Landsat Imagery. Clemson University, Forest Research Series No. 42, Clemson, SC.
- Myers, R.K., R. Zahner, & S.M. Jones. 1986. Forest Habitat Regions of South Carolina from LANDSAT Imagery. SC. Department of Forestry, Clemson University. Clemson, South Carolina (text and accompanying map). National Geographic Society (NGS). 1999. Field Guide to the Birds of North America, Third Edition. National Geographic Society. Washington, D.C. 480 pp.
- NatureServe. 2002. States of the union: ranking America's biodiversity. A report prepared for The Nature Conservancy. NatureServe. Arlington, Virginia. www.natureserve.org
- NatureServe. 2005. NatureServe Explorer: An online encyclopedia of life [web application]. Version 4.2. NatureServe, Arlington, Virginia. Available <http://www.natureserve.org/explorer>.
- National Marine Fisheries Service. 1998. Recovery plan for the shortnose sturgeon (*Acipenser brevirostrum*). Prepared by the Shortnose Sturgeon Recovery Team, National Marine Fisheries Service, Silver Spring, Maryland. 104 pp.
- National Marine Fisheries Service. 1999. Ecosystem principles advisory panel. Ecosystem-based fishery management: A report to congress by the ecosystem principles advisory panel.
- National Research Council. 1990. Decline of the sea turtles: causes and prevention. National Academy Press. Washington, D.C. 259 pp.
- Needham, J.G., M.J. Westfall, Jr. and M.L. May. 2000. Dragonflies of North America. Scientific Publishers. Gainesville, Florida. 940 pp.
- Nelson, J.B. 1986. The natural communities of South Carolina – initial classification and description. SC Wildlife & Marine Resources Dept. Columbia, South Carolina.
- Nelson, W.G. 1986. Predation and prey population variation in a high energy sand beach macrofaunal community. *Ophelia*. 26:305-316.

- Newell, R.I.E. 2004. Ecosystem influences of natural and cultivated populations of suspension-feeding bivalve mollusks: A Review. *J. Shellfish Res.* 23:51-61.
- Newell, S.Y. and C. Krambeck. 1995. Responses of bacterioplankton to tidal inundations of a saltmarsh in a flume and adjacent mussel enclosures. *J Exp Mar Biol Ecol.* 190:79-95.
- Neves, R.J. and L. Depres. 1979. The oceanic migration of American shad, *Alosa sapidissima*, along the Atlantic coast. *Fish. Bull.* 77:199-212.
- North American Bird Conservation Initiative (NABCI). 2005. Bird Conservation Regions. Available <http://www.nabci-us.org/bcrs.html>.
- North Carolina Wildlife Resources Commission (NCWRC). 2002. Guidance memorandum to address and mitigate secondary and cumulative impacts to aquatic and terrestrial wildlife and water quality. Accessed August 21, 2004 http://www.ncwildlife.org/pg07_WildlifeSpeciesCon/pg7c3_impacts.pdf.
- North Carolina Wildlife Resources Commission. The Crayfishes of North Carolina. http://www.ncwildlife.org/pg07_wildlifeSpeciesCon/nccrayfishes/nc_crayfishes.html. Accessed March 2005.
- [Northern Prairie Wildlife Research Center](#). Stoneflies of the United States (Range map). U.S. Department of the Interior. U.S. Geological Survey. 8711 37th Street SE, Jamestown, North Dakota 58401, USA. <http://www.npwrc.usgs.gov/resource/distr/insects/sfly/usa/172.htm>
- Noss, R.F. 1989. Longleaf pine and wiregrass: keystone components of an endangered ecosystem. *Natural Areas Journal.* 9(4):211-213.
- Noss, R.F. and R.L. Peters. 1995. Endangered ecosystems: a status report on America's vanishing habitat and wildlife. *Defenders of Wildlife*.
- O'Connor, T.P. 2002. National distribution of chemical concentrations in mussels and oysters in the USA. *Marine Environmental Research.* 53:117-143.
- Oakley, K.L., L.P. Thomas and S.G. Fancy. 2003. Guidelines for long-term monitoring protocols. *Wildlife Society Bulletin.* 31(4): 1000-1003.
- Odegaard, F. 2000. How many species of arthropods? Erwin's estimate revised. *Biological Journal of the Linnean Society* 71(4):583-597. <http://invertebrates.ifas.ufl.edu/ErwinRevised.pdf>
- Officer, C.B., T.J. Smayda and R.Mann. 1982. Benthic filter feeding: a natural eutrophication control. *Mar. Ecol. Progr. Series.* 8:203-210.
- Ogburn-Mathews, M.V. and D.M. Allen. 1993. Interactions among some dominant estuarine nekton species. *Estuaries* 16(4): 840-850.
- O'Hara, J. 1973. The influence of temperature and salinity on the toxicity of cadmium to the fiddler crab, *Uca pugnator*. *Fish. Bull.* 71:149-153.
- Olson, A.L., T.H. Hubbell and H.F. Howden. 1954. The beetles of the genus *Mycotrupes* (Coleoptera: Scarabaeidae: Geotrupinae). *Miscellaneous Publications of the Museum of Zoology, University of Michigan.* 84:1-59.
- Omori, M. 1978. Zooplankton fisheries of the world: a review. *Marine Biology* 48(3):199-205.
- Omori, M. and Nakano, E. 2001. Jellyfish fisheries in southeast Asia. *Hydrobiologia* 451:19-26.

- Opler, P.A. and G.O. Krizek. 1984. Butterflies east of the Great Plains. An illustrated natural history. Johns Hopkins Univ. Press. Baltimore, Maryland. xvii + 294 pp.
- Opler, P.A. and V. Malikul. 1998. A field guide to eastern butterflies. xvii + 486 pp
- Orth, R.J., K.L.J. Heck and J. Van Montfrans. 1984. Faunal communities in seagrass beds: a review of the influence of plant structure and prey characteristics on predator-prey relationships. *Estuaries*. 7:339-350.
- Ortman, A.E. 1902. The geographical distribution of freshwater decapods and its bearing on ancient geography. *Proc. Amer. Phil. Soc.* 41(171):267-400.
- Ortmann, A.E. 1909. The destruction of the fresh-water fauna in western Pennsylvania. *Proceedings of the American Philosophical Society*. 48(191):90-111.
- Oswalt, S.N. 2004. Nonnative invasive plants in South Carolina: combining phase-2 with phase-3 vegetation structure and diversity pilot data to enhance understanding of forest health issues. U.S. Department of Agriculture, Forest Service, Southern Research Station. 18 pp.
- Outcalt, K. 2000. Occurrence of fire in longleaf pine stands in the southeastern United States. Pages 178-182. *In: Fire and forest ecology: innovative silviculture and vegetation management*, W. Moser and C. Moser, editors. *Proceedings of the Tall Timbers Fire Ecology Conference*, No. 21. Tall Timbers Research Station, Tallahassee, Florida. 225 pp.
- Panjabi, A., C. Beardmore, P. Blancher, G. Butcher, M. Carter, D. Demarest, E. Dunn, C. Hunter, D. Pashley, K. Rosenberg, T. Rich and T. Will. 2001. The Partners In Flight Handbook on Species Assessment and Prioritization. Version 1.1. Rocky Mountain Bird Observatory. Brighton, Colorado. Accessed on June 13, 2005 at <http://www.rmbo.org/pubs/downloads/Handbook.pdf>
- Parmalee, P.W. and A.E. Bogan. 1998. The Freshwater Mussels of Tennessee. University of Tennessee Press. Knoxville, Tennessee. 328 pp.
- Pashley, D.C. Beardmore, J. Fitzgerald, R. Ford, W. Hunter, M. Morrison and K. Rosenberg. 2000. Partners in Flight: conservation of the land birds of the United States. American Bird Conservancy. The Plains, Virginia. 92 pp.
- Patton, R.F. 1974. Ecological and behavioral relationships of the skunks of Trans Pecos, Texas. Ph.D. Dissert. Texas A&M University. College Station, Texas. 199 pp.
- Patton, W.K. 1972. Studies on the animal symbionts of the gorgonian coral, *Leptogorgia virgulata* (Lamarck). *Bulletin of Marine Science*. 22:419-431.
- Patterson, K.D. 1994. Classification of vegetation in Ellicot Rock Wilderness, Southeastern Blue Ridge Escarpment. MS Thesis. North Carolina State University.
- Peacock, J.D. Schweitzer, J. Carter and N. Dubois. 1998. Laboratory assessment of the effects of *Bacillus thuringiensis* on native Lepidoptera. *Environ. Entomol.* 27:450-457.
- Pearse, A.S., H.J. Humm and G.W. Wharton. 1942. Ecology of sand beaches at Beaufort, North Carolina. *Ecol. Monogr.* 12:135-190.
- Peters, W.L. and J.G. Peters. 1984. The Secret Swarm. *Natural History*. 5/88:8-13.
- Peterson, C.H. 1986. Quantitative allometry of gamete production by *Mercenaria mercenaria* into old age. *Mar. Ecol. Progr. Series*. 29:93-97.

- Peterson, C.H., D.H.M. Hickerson and G.G. Johnson. 2000. Short-term consequences of nourishment and bulldozing on the dominant large invertebrates of a sandy beach. *Journal of Coastal Research*. 16:368-378.
- Phillips A.M. 1940. The ghost crab – adventures investigating the life of a curious and interesting creature that lives on our doorstep, the only large crustacean of our North Atlantic coast that passes a good part of its life on land. *Natural History*. 46:36-41.
- Phillips, P.J., W.D. Burke and E.J. Koener. 1969. Observations of the trophic significance of jellyfishes in Mississippi Sound with quantitative data on the associative behavior of small fishes with medusae. *Transcripts of the American Fisheries Society* 98(4):703-712.
- Pimentel, D., R. Zuniga and D. Morrison. 2005. Update on the environmental and economic costs associated with alien-invasive species in the United States. *Ecological Economics*. 52:273-288.
- Plentovitch, S., N.R. Holler and G. E. Gill. 1999. Habitat requirements of Henslow's Sparrows wintering in silvicultural lands of the Gulf Coastal Plain. *Auk*. 116:109-115.
- Porcher, R.D. and D.A. Rayner. 2001. A guide to the wildflowers of South Carolina. University of South Carolina Press. Columbia, South Carolina.
- Porter, James W. 1993. The Physiological Effects of Dredge-Spoil on the Oxygen Metabolism of Charleston Harbor, SC, Marine Benthic Invertebrates. Final Report, submitted to the United States Environmental Protection Agency, Region 4. Prepared by the Institute of Ecology, University of Georgia. 33 pp.
- Porter, H.J. 1960. Zoecal stages of the stone crab *Menippe mercenaria* (Say). *Ches. Sci.* 1(3):168-177.
- Posey, M.H. and A.H. Hines, 1991. Complex Predator-Prey Interactions within an Estuarine Benthic Community. *Ecology*. 72:2155-2169.
- Pratt, H.D. 1959. A new classification of the life histories of North American mosquitoes. *Proceedings of the New Jersey Mosquito Exterminators Association*. 46:148-152.
- Pritchard, E.S. Editor. 2004. Fisheries of the United States 2003. National Marine Fisheries Service, Office of Science and Technology, Fisheries Statistics. Silver Spring, Maryland
- Probst, W.E., C.F. Rabeni, W.G. Covington and R.E. Marteney. 1984. Resource use by stream-dwelling rock bass and smallmouth bass. *Transactions of the American Fisheries Society*. 113(3):283-294.
- Public Health Entomology Research & Education Center (PHEREC). Rearing *Toxorhynchites* For Field Releases. Florida A&M University. Panama City, Florida. <http://pherec.org/entguides/EntGuide3.html>
- Rabeni, C.F. 1992. Trophic linkage between stream centrarchids and their crayfish prey. *Canadian Journal of Fisheries and Aquatic Sciences*. 49:1714-1721.
- Ragone-Calvo, L.M. and E.M. Burrseon. 2002. QPX susceptibility in hard clams varies with geographic origin of brood stock. VA Sea Grant Marine Resource Advisory No. 74, VSG-02-18. 7 pp.

- Ragone-Calvo, L.M., G.M. Burreson, S.F. Ford, J.N. Kraeuter, D.F. Leavitt and R. Smolowitz. 2003. Host genetic origin an important determinant of QPX disease. *J. Shellfish Res.* 22:322.
- Ragone-Calvo, L.M., J.G. Walker and E.M. Burreson. 1998. Prevalence and distribution of QPX, quahog parasite unknown, in hard clams, *Mercenaria mercenaria* Virginia, USA. *Dis. of Aquatic Organisms.* 33:209-219.
- Ranson, W. A. & J.M. Garihan. Geology of the City of Greenville, SC Watersheds and adjacent properties of the North Saluda and Table Rock Reservoirs. Letter report to the Greenville Watersheds Study Committee. Furman University. Greenville, South Carolina.
- Ray, Janisse. 1999. Ecology of a cracker childhood. Milkweed Editions. Minneapolis, Minnesota. 304 pp.
- Reeves, R.R., B.S. Stewart, P.J. Clapham and J.A. Powell. 2002. Guide to marine mammals. Alfred A. Knopf, New York, 527 pp.
- Reilly, F.J. and V.J. Bellis. 1983. The ecological impact of beach nourishment with dredged materials on the intertidal zone at Bogue banks, North Carolina. U.S. Army Corps of Engineers. Coastal Engineering Research Center, Misc. Rept. No. 83-3.
- Reiter, I.P. 1985. Discussion. P. 142. *In: Ecology of mosquitoes: proceedings of a workshop*, L.P. Lounibos, J.R. Rey and J.H. Frank, Editors. Vero Beach, Florida; Florida Medical Entomology Laboratory. xxi + 579 pp.
- Rhodes, R.J., W. J. Keith, P. Eldridge and V.G. Burrell, Jr. 1977. An empirical evaluation of the Leslie-Delury method to estimating hard clam, *Mercenaria mercenaria*, abundance in the Santee River estuary, South Carolina. *Proc. Natl. Shellf. Assoc.* 67:44-52.
- Rich, T., C. Beardmore, H. Berlanga, P. Blancher, M. Bradstreet, G. Butcher, D. Demarest, E. Dunn, W. Hunter, E. Inigo-Elias, J. Kennedy, A. Martell, A. Panjabi, D. Pashley, K. Rosenberg, C. Rustay, J. Wendt and T. Will. 2004. Partners In Flight North American Landbird Conservation Plan. Cornell Lab of Ornithology. Ithaca, New York. 84 pp.
- Rings, R.W., E.H. Metzler, F.J. Arnold and D.H. Harris 1992. The owlet moths of Ohio. *Ohio Biological Survey, Bulletin New Series Vol. 9, No. 2.* 219 pp.
- Ringwood, A.H. 1999. Preliminary studies regarding the use of cellular responses in marsh mussels, *Geukensia demissa*, as potentially valuable indicators of habitat condition. Final Report, SC Sea Grant "Seed" Project, 18 pp.
- Ringwood, A.H., D.E. Connors and A. DiNovo. 1998b. The effects of copper exposures on cellular responses in oysters. *Marine Environmental Research.* 46:591-595.
- Ringwood, A.H., D.E. Connors and C.J. Keppler. 1999a. Cellular responses of oysters, *Crassostrea virginica*, to metal-contaminated sediments. *Marine Environmental Research.* 48:427-437.
- Ringwood, A.H., D.E. Connors, C.J. Keppler and A. DiNovo. 1999b. Biomarker studies with juvenile oysters (*Crassostrea virginica*) deployed in-situ. *Biomarkers.* 4:400-414.
- Ringwood, A.H., D.E. Connors and J. Hoguet. 1998a. The effects of natural and anthropogenic stressors on lysosomal destabilization in oysters, *Crassostrea virginica*. *Marine Ecology Progress Series.* 166:163-171.

- Robins, C.R. and G.C Ray. 1986. A field guide to Atlantic Coast fishes of North America. The Peterson field guide series; 32. Houghton Mifflin Company, Boston, Massachusetts. 354 pp.
- Roberts, D., D. Rittschof, D.J. Gerhart, A.R. Schmidt and L.G. Hill. 1989. Vertical migration of the clam *Mercenaria mercenaria* (L.) (Mollusca: Bivalvia): environmental correlates and ecological significance. *Journal Experimental Marine Biology and Ecology*. 126:271-280.
- Roell, M.J. and D.J. Orth. 1993. Trophic basis of production of stream-dwelling smallmouth bass, rock bass, and flathead catfish in relation to invertebrate bait harvest. *Transactions of the American Fisheries Society* 122(1):46-62.
- Rookery Bay National Estuarine Research Reserve. 1996. Effects of mosquito control pesticides on the survival of fiddler crabs. Available: <http://www3.csc.noaa.gov/rookerybay/rsrsmgt/enviro/methods.htm>, accessed December 2004.
- Rosenberg, K. 2004. Partners In Flight Continental Priorities and Objectives Defined at the State and Bird Conservation Region Level: South Carolina. Cornell Lab of Ornithology. Ithaca, New York. 29 pp.
- Rosenberg, K. and J. Wells. In press. Conservation priorities for terrestrial birds in the northeastern United States. *In: Proceedings of the Third International Partners in Flight Conference*, C. Ralph and T. Rich, editors. USDA Forest Service General Technical Report PSW-GTR-191. Albany, California.
- Ross, H.H. 1941 The caddis flies, or Trichoptera, of Illinois. *Bulletin of the Illinois Natural History Survey*. 23:1-326.
- Rountree, R.A. 1983. The ecology of *Stomolophus meleagris*, the cannon ball jellyfish, and its symbionts, with special emphasis on behavior. Undergraduate Thesis-UNCW. 69p.
- Rudloe, A. 1983. The effects of heavy bleeding on mortality of the horseshoe crab, *Limulus polyphemus*, in the natural environment. *J. Invert. Pathology*. 42:167-176.
- Rudloe, J. 1992. Jellyfish: a new fishery for the Florida panhandle. A report to the U.S. Department of Commerce Economic Development Administration. EDA Project no. 04-06-03801, pp. 35.
- Ruiz, G.M., A.H. Hines and M.H. Posey. 1993. Shallow water as a refuge habitat for fish and crustaceans in non-vegetated estuaries: an example from Chesapeake Bay. *Marine Ecology Progress Series*. 99:1-16.
- Ruppert, H.H. and R.S. Fox. 1988. Seashore animals of the Southeast. University of South Carolina Press. Columbia, South Carolina. 158 pp.
- Ruppert, E. and R. Fox. 1988. Seashore animals of the southeast. University of South Carolina Press. Columbia, South Carolina.
- Ruppert, E.E. and R.S. Fox. 1988. Seashore animals of the southeast – a guide to common shallow-water invertebrates of the southeastern Atlantic coast. University of South Carolina Press. Columbia, South Carolina. 429 pp.
- Rusk, David. 2003. Stronger cities for a stronger South Carolina. Accessed online on August 11, 2005 at <http://www.gamaliel.org/DavidRusk/MASC%20speech%207-11-03.pdf>

- S.C. Exotic Pest Plant Council. 2004. Non-native invasive plant species list. (<http://www.se-eppc.org/states/SC/SCList.pdf>). Last accessed August, 2005
- SAMAB (Southern Appalachian Man and the Biosphere) 1996. The Southern Appalachian assessment atmospheric technical report. Report 3 of 5. Atlanta: U. S. Department of Agriculture, Forest Service, Southern Region.
- Samways, M.J. 1994. Insect Conservation Biology. Chapman and Hall. London.
- Sanders, A.E. 1978. Mammals. Pages 296-308. *In: An annotated checklist of the biota of the Coastal Zone of South Carolina*, R.G. Zingmark, editor. University of South Carolina Press, Columbia, South Carolina. 100 pp.
- Sandifer, P.A., J.V. Miglarese and D.R. Calder. 1980. Ecological characterization of the sea island coastal region of South Carolina and Georgia. Vol. III: Biological features of the characterization area. U.S. Fish and Wildlife Service, Office of Biological Services, Washington, D.C. FWS/OBS-79/42. 620 pp.
- Sauer, J.R., J.E. Hines and J. Fallon. 2004. The North American Breeding Bird Survey, Results and Analysis 1966 - 2003. Version 2004.1. [USGS Patuxent Wildlife Research Center](#). Laurel, Maryland.
- Sauer J.R., J.E. Hines, G. Gough, I. Thomas and B.G. Peterjohn. 1997. The North American Breeding Bird Survey Results and Analysis. Version 96.4. Patuxent Wildlife Research Center. Laurel, Maryland.
- Say, T. 1822. An account of some of the marine shells of the United States *Journal of the Academy of Natural Sciences of Philadelphia* 2 221-248, 257-276, 302-325.
- Schindler, D.W., K.H. Mills, D.F. Malley, D.L. Findlay, J.A. Shearer, I.J. Davies, M.A. Turner, G.A. Linsey and D.R. Cruikshank. 1985. Long-term ecosystem stress: the effects of years of experimental acidification on a small lake. *Science*. 228:1395-1401.
- Schmidt, E.V., D. Otis, C. Aulbach, F.Tian, J.D. Scurry, Y.Alger, F.G.F. Smith, D. Fairey, D. Gordon. 2001. A GAP Analysis of South Carolina. U.S. Geological Survey, Biological Resources Discipline, Gap Analysis Program. 719 pp.
- Schoonmaker, P. and W. Luscombe. 2005. Habitat monitoring: an approach for reporting status and trends for state Comprehensive Wildlife Conservation Strategies. Illahee, Portland, Oregon.
- Schueler, T.R. 2000 a. Impact of suspended and deposited sediment. Pp 64-65. *In: The practice of watershed protection*, T.R. Schueler and H.K. Holland, Eds. The Center for Watershed Protection. Ellicott City, Maryland. 742 pp.
- Schueler, T.R. 2000 b. Techniques for improving the survivorship of riparian plantings. Pp 242. *In: The practice of watershed protection*, T.R. Schueler and H.K. Holland, Eds. The Center for Watershed Protection. Ellicott City, Maryland. . 742 pp.
- Schueler, T.R. 2000 c. Why stormwater matters. Pp 365-370. *In: -The practice of watershed protection*, T.R. Schueler and H.K. Holland, Eds. The Center for Watershed Protection. Ellicott City, Maryland. 742 pp.
- Schueler, T.R. and H.K. Holland. 2000. Aquatic buffers. Pp 223-224. *In: The practice of watershed protection*, T.R. Schueler and H.K. Holland, Eds. The Center For Watershed Protection. Ellicott City, Maryland. 742 pp.
- Scholtens, B.G. 2004. Survey for *Speyeria diana* in Sumter National Forest (Oconee Co., SC). Report to National Forest Service. 3 pp.

- Scott, G.I., D.S. Baughman, A.H. Trim and J.C. Dee. 1987. Lethal and sublethal effects of insecticides commonly found in agricultural runoff to estuarine fish and shellfish. Pages 251-273. *In: Pollution and Physiology of Estuarine Organisms*, W.B. Vernberg, A. Calabrese, F.P. Thurberg, and F. J. Vernberg, editors. Baruch series #17, Univ. of South Carolina Press, Columbia, South Carolina.
- Scott, G.I., D.W. Moore, M.H. Fulton, T.W. Hampton, J.M. Marcus, G.T. Chandler, K.L. Jackson, D.S. Baughman, A.H. Trim, C.J. Loudon and E.R. Patterson. 1989. Agricultural insecticide runoff effects on estuarine organisms: correlating laboratory and field toxicity testing with ecotoxicological biomonitoring. Volumes I and II. 2nd annual Report. US EPA, Gulf Breeze Environmental Research Laboratory. Gulf Breeze, Florida. 688 pp.
- Scott, M. Fulton, M. Crosby, P. Key, E. Strozier, C. Loudon, G. Chandler, T. Bidleman, K. Jackson, T. Hampton, T. Hoffman, A. Shulz and M. Bradford. 1994. Agricultural runoff effects on estuarine organisms: correlating laboratory and field toxicity tests, ecophysiology bioassays, and ecological biomonitoring. EPA/600/R-94/004, 288 pp.
- Scott, G.I., M.H. Fulton, M.C. Crosby, P.B. Key, J.W. Daugomah, J.T. Walden, E.D. Strozier, C.J. Loudon, G.T. Chandler, T.F. Fidleman, K.L. Jackson, T.W. Hampton, T. Hoffman, A. Shultz and M. Bradford. 1992. Agricultural nonpoint runoff effects on estuarine organisms: correlating laboratory and field bioassays and ecotoxicological biomonitoring. Final Report. U.S EPA. Gulf Breeze, Florida. 281 pp.
- Scott, J.A. 1986. The butterflies of North America. Stanford Univ. Press. Stanford, California. Xii + 583 pp.
- Sekiguchi, K. 1988. Post Embryonic Development of the Horseshoe Crab. Biological Bulletin. 174:337-345.
- Shanks, A.L. and W.M. Graham. 1987. Oriented swimming in the jellyfish *Stomolophus meleagris* L. Agassiz (Scyphozoa: Rhizostomida). Journal of Experimental Biology and Ecology 108:159-169.
- Shealy, M.H., Jr., B.B. Boothe, Jr. and C.M. Bearden. 1975. A survey of the benthic macrofauna of Fripp Inlet and Hunting Island, South Carolina, prior to beach renourishment. S.C. Marine Res. Center. Tech. Rep Ser. 7. 30 pp.
- Sheeley, R.D. and T.R. Yonke. 1977. Immature stages and biology of *Atheas austroriparius* and *Leptoypa costata* (Hemiptera: Tingidae). Annals of the Entomological Society of America. 70:603-614.
- Shumway, S.E. 1990. A review of the effects of algal blooms on shellfish and aquaculture. J. World Aquaculture Society. 21(2):65-104.
- Shumway, S.E., A. Lewitus, L. Coen, J.S. Springer and J.M. Burkholder. 2002. Shellfish transfer and transplantation as vectors for introduction and establishment of harmful algal blooms via dinoflagellate cells and cysts: potential or imaginary risk? Presented at the ICSR Meetings in Charleston, SC.
- Shumway, S.E. and T.L. Cucci. 1987. The effects of the toxic dinoflagellate *Protogonyaulax tamarensis* on the feeding and behaviour of bivalve molluscs. Aquatic Toxicology. 10:9-27.
- Shuster, C.N., Jr. 1982. A pictorial review of the natural history and ecology of the horseshoe crab, *Limulus polyphemus*, with reference to other Limulidae.

- Physiology and Biology of Horseshoe Crabs: Studies on Normal and Environmentally Stressed Animals. Alan R. Liss, Inc. New York, New York. # pp.
- Sibley, D. 2000. The Sibley Guide to Birds. National Audubon Society. New York, New York. 544 pp.
- Silliman, B.R. and M.D. Bertness. 2002. A trophic cascade regulates salt marsh primary production. PNAS. 99:10500-10505.
- Silliman, B.R. and S.Y. Newell. 2003. Fungal farming in a snail. PNAS. 100:16643-16648.
- Simonson, S., D. Barnett and T. Stohlgren. 2004. The invasive species survey: A report on the invasion of the National Wildlife Refuge System. National Institute of Invasive Species Science. Fort Collins, Colorado.
- Smith, Andrew B.T. 2003. Checklist of the Scarabaeoidea of the Nearctic Realm including Canada, the continental United States, and the northern Mexican states of Baja California, Baja California Sur, Chihuahua, Coahuila de Zaragoza, Durango, Nuevo Leon, Sinaloa, Sonora, Tamaulipas, and Zacatecas. Version 3 - released 25 September 2003.
<http://www.museum.unl.edu/research/entomology/Nearctic-scarabs3.doc>
- Smith, D.L. and B.C. Coull. 1987. Juvenile spot (Pisces) and grass shrimp predation on meiobenthos in muddy and sandy substrates. Journal Experimental Marine Biology and Ecology. 105:123-126.
- Smith, D.R. 1979. Symphyta. Pp. 1-132. *In*: Catalog of Hymenoptera in America North of Mexico. Vol. 1, K.V. Krombein, P.D. Hurd, Jr., D.R. Smith and B.D. Burks, Editors. Smithsonian Institution Press. Washington, DC. 1198 pp.
- Smith, D. R. and E. M. Barrows. 1995. *Rhadinoceraea* n. sp. (Hymenoptera: Tenthredinidae) from West Virginia, a second species on *Zigadenus* (Liliaceae). Entomological News. 106: 237-240.
- Smith, D. R. and W. McDearman. 1990. A new *Rhadinoceraea* (Hymenoptera: Tenthredinidae) feeding on *Zigadenus* (Liliaceae) from southeastern United States. Entomological News. 101: 13-19.
- Smith, R. K., P.L. Freeman, J.V. Higgins, K.S. Wheaton, T.W. FitzHugh, K.J. Ernstrom, and A.A. Das. 2002. Priority areas for freshwater conservation action: a biodiversity assessment of the Southeastern United States. The Nature Conservancy.
- Smolowitz, R., D. Leavitt and F. Perkins. 1998. Observations of a protistan disease similar to QPX in *Mercenaria mercenaria* (hard clams) from the coast of Massachusetts. J. Invert. Pathol. 71:9-25.
- Snyder, F.L., M.B. Hilgendorf and D.W. Garton. 1997. Zebra mussels in North America. Ohio Sea Grant College Program. National Oceanic and Atmospheric Administration. 4 pp.
- South Carolina Coastal Council. 1977. The South Carolina Beachfront Management Act. Available: <http://www.scdhec.gov/eqc/ocrm/pubs/uoce.pdf>. Accessed: March 2005.
- South Carolina Department of Health and Environmental Control. 1998. Watershed water quality assessment Saluda River Basin. Technical Report No. 005-98. 172 pp.

- South Carolina Department of Health and Environmental Control. 1998. Watershed water quality assessment Edisto River Basin. Technical Report No. 006-98. 218 pp.
- South Carolina Department of Health and Environmental Control. 1998. The facts on wetlands. ML# 017028. Columbia, South Carolina. 2 pp.
- South Carolina Department of Health and Environmental Control. 1998. Watershed water quality assessment Catawba River Basin. Technical Report No. 011-99. 147 pp.
- South Carolina Department of Health and Environmental Control. 1999. Watershed water quality assessment Santee River Basin. Technical Report No. 012-99. 165 pp.
- South Carolina Department of Health and Environmental Control. 2000. Watershed water quality assessment Pee Dee River Basin. Technical Report No. 015-00. 290 pp.
- South Carolina Department of Health and Environmental Control. 2003. Watershed water quality assessment Savannah River Basin. Technical Report No. 002-03. 218 pp.
- South Carolina Department of Health and Environmental Control. 2003. Watershed water quality assessment Salkehatchie River Basin. Technical Report No. 003-03. 143 pp.
- South Carolina Department of Natural Resources. 1998. Resource management plan for Jocassee Gorges property, Oconee and Pickens Counties, South Carolina. SC Department of Natural Resources. Columbia, South Carolina.
- South Carolina Department of Natural Resources and National Oceanic and Atmospheric Administration, Coastal Services Center. 2000. Characterization of the Ashepoo-Combahee-Edisto (ACE) Basin, South Carolina. CD-ROM. SC Marine Resources Center Special Scientific Report Number 17. NOAA/CSC/20010-CD. Charleston, SC: NOAA Coastal Services Center.
- South Carolina Department of Natural Resources. 2003. Heritage trust inventory: South Carolina Rare, Threatened and Endangered Species. Accessed online on January 21, 2005 at http://www.dnr.state.sc.us/pls/heritage/county_species.list?pcounty=all.
- South Carolina Department of Research and Statistical Services. 1998. Statistical abstract for South Carolina. S.C. Budget & Control Board, Division of Research & Statistical Services. Columbia, South Carolina.
- South Carolina Exotic Pest Plant Council. 2004. Non-native invasive plant species list. Accessed online on August 11, 2005 at http://www.se_eppc.org/states/SC/SCList.pdf
- South Carolina GAP Analysis Project. 2001. Accessed online on August 11, 2005 at <http://www.dnr.state.sc.us/gisdata/gap/scgaphome.htm>
- South Carolina Department of Natural Resources. 2005. Saltwater Fishing Guide. Available: <http://www.dnr.state.sc.us/etc/rulesregs/pdf/saltfishing.pdf> (Accessed: January 2005).
- South Carolina Department of Natural Resources. Office of Fisheries Management. 2003. Management Plan for South Carolina's Offshore Whelk Trawling Fishery. 3 pp.

- South Carolina Department of Natural Resources, Office of Fisheries Management. 2004. Policy on Importation of Molluscan Shellfish. (Guidelines for South Carolina Code of Laws Section 50-5- 1005). 10 pp.
- South Carolina Moths Searchable Checklist: website at <http://facweb.furman.edu/~snyderjohn/sc-moths/>
- Southern Appalachian and other southeastern streams at risk: implications for mayflies, dragonflies and damselflies, stoneflies, and caddis flies. Pages 17-42. *In*: G.W. Benz and D.E. Collins, editors. Aquatic fauna in peril: the southeastern perspective. Special Publication 1, Southeast Aquatic Research Institute, Lenz Design and Communications. Decatur, Georgia. 554 pp.
- Springborn, E.G. 1999. Survival and home range of Painted Buntings on Sapelo Island, GA. Masters Thesis. University of Georgia. Athens, Georgia. 45 pp.
- Stanley, J.G. and R. Dewitt. 1983. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (North Atlantic) -- hard clam. U.S. Fish Wildl. Serv. FWS/OBS-82/11.18. U.S. Army Corps of Engineers, TR EL-82-4. 19 pp.
- Steenstrup, J. 1881. Sepiadarium og Idiosepius, to nye Slagter af Sepiernes Familie. Kong. Vid. Selsk. Skr. 1(6):242
- Stehr, F.W. 1991. *Immature Insects*. 1st Edition. Vol. 2. Kendall/Hunt.
- Stewart, K.W. and B.P. Stark. 2002. Nymphs of North American stonefly genera (Plecoptera). 2nd Ed. Caddis Press. Columbus, Ohio. 510 pp.
- Stiven, A.E. and S.A. Gardner. 1992. Population processes in the ribbed mussel *Geukensia demissa* (Dillwyn) in a North Carolina salt marsh tidal gradient: spatial pattern, predation, growth and mortality. *Journal Experimental Marine Biology and Ecology*. 160:81-102.
- Stone, A. 1948. A change in name in mosquitoes. *Proceedings of the Entomological Society of Washington*. 50:161.
- Strayer, D.L., N.F. Caraco, J.J. Cole, S. Findlay and M. L. Pace. 1999. Transformation of freshwater ecosystems by bivalves, a case study of zebra mussels in the Hudson River. *Bioscience*. 49(1): 19-27.
- Strozier, E.D. 1996. A comparison of uptake and bioconcentration of the insecticide azinphosmethyl, in the grass shrimp, *Palaemonetes pugio*, and in lipid based passive environmental sampling devices. Univ. of South Carolina, School of Public Health, Masters Thesis. Columbia, South Carolina. 73 pp.
- Sundin, G. undated. A test of three simple trap designs for suitability in controlling ghost crab depredation on sea turtle nesting beaches. website accessed 18 January 2005. <www.sc.edu/beaufort/communitypartnerships/pritchards/pdf/research2000.pdf>.
- Sweeney, B.W. and R.L. Vannote. 1982. Population synchrony in mayflies: a predator satiation hypothesis. *Evolution*. 36:810-821.
- Sweeney, J.R., J.M. Sweeney and S.W. Sweeney. 2003. Feral Hog. Pp 1164-1179. *In*: Wild mammals of North America, 2nd edition, G.A. Feldhamer and B.Thompson, Eds. . Johns Hopkins Univ. Press. Baltimore, Maryland. 1,216 pp.
- Tamarin, R.H. 1999. Meadow vole, *Microtus pennsylvanicus*. *In*: The Smithsonian Book of North American Mammals, D.E Wilson, and S. Ruff, editors.. Smithsonian Institution. Washington, D.C. 750 pp.

- Taylor, C.A., M.L. Warren, Jr., J.F. Fitzpatrick, Jr., H.H. Hobbs III, R.F. Jezerinac, W.L. Pflieger, and H.W. Robison. 1996. Conservation status of crayfish of the United States and Canada. *Fisheries*. 21(4):25-38.
- Taylor, T. 2003. Arthropod Assemblages on Longleaf Pines: a Possible Link between the Red-cockaded Woodpecker and Groundcover Vegetation. MS Thesis. Virginia Polytechnic Institute and State University. Blacksburg, Virginia. 106 pp.
- Teal, J.M. 1958. Distribution of fiddler crabs in Georgia salt marshes. *Ecology*. 39(2):185-193.
- Thompson, C.W. 1991. Is the painted bunting actually two species? Problems determining species limits between allopatric populations. *Condor*. 93:987-1000.
- Thompson, M.S. 1995. The effect of ghost crab predation on the survival rate of loggerhead sea turtle eggs. pp. 323-324 *in*: Keinath, D. E., Barnard, D. E., Musick, J. A. and Bell, B. A., compilers. Proceedings of the Fifteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-387. 355 pp.
- Thompson, M. 1997. Species Profiles: Horseshoe crab. Atlantic States Marine Fisheries Commission, Fisheries Focus. 6(8): 1, 6-7.
- Thompson, M. 1999. Assessments of the population biology and critical habitat for the horseshoe crab (*Limulus polyphemus*) in South Carolina. Master's Thesis. The Medical University of South Carolina. Charleston, South Carolina. 136 pp.
- Thorp, J.H. 1976. Interference competition as a mechanism of coexistence between two sympatric species of the grass shrimp *Palaemonetes* (Decapoda: Palaemonidae). *Journal Experimental Marine Biology and Ecology*. 25:19-35.
- Tiemann, J. S., D.P. Gillette, M.L. Wildhaber and D.R. Edds. 2004. Effects of lowhead dams on riffle-dwelling fishes and macroinvertebrates in a midwestern river. *Transactions of the American Fisheries Society* 133:705-717.
- Tilmant, J.T. 1979. Observations on the impacts of shrimp roller frame trawls operated over hardbottom communities, Biscayne Bay, Florida. *Natl. Park. Serv. Rep. Ser. No. P-553*, 23 pp.
- Toll, R.B., R.S. Prezant and H.B. Rollins. 2003. A novel method for locating tagged infaunal bivalves: Submersible pulse technology metal detectors. *Journal of Shellfish Research*. 22:501-503.
- Trent, L., E.J. Pullen and R. Proctor, 1976. Abundance of macrocrustaceans in a natural marsh and a marsh altered by dredging, bulkheading and filling. *U.S. Natl. Mar. Fish. Serv. Fish. Bull.* 74:195-200.
- Truesdale, F.M. and W.J. Mermilliod. 1979. The river shrimp *Macrobrachium ohione* (Smith)(Decapoda, Palaemonidae): its abundance, reproduction, and growth in the Atchafalaya River basin of Louisiana, USA. *Crustaceana*. 36:61-73.
- Tsui, T.P. and M.D. Hubbard. 1979. Feeding habits of the predaceous nymphs of *Dolania americana* in northwestern Florida (Ephemeroptera: Behningiidae). *Hydrobiologia* 67:119-123.
- Tuberville, T.D. and J. Jensen. In press. *Heterodon simus*. Reptiles and Amphibians of Georgia. U.S. Bureau of the Census, Population Estimates Program (PEP). 2005. Accessed online on March 23, 2005 at <http://www.census.gov/popest/estimates.php>.

- Tucker, J., D. Robinson and J. Grand. 2005. Influence of fire on Bachman's sparrow, an endemic North American songbird. *Journal of Wildlife Management*. 68(4):1114-1123.
- United States Department of Agriculture. 2000. Summary Report: 1997 National Resources Inventory (revised December 2000), Natural Resources Conservation Service, Washington, DC, and Statistical Laboratory, Iowa State University. Ames, Iowa. 89 pp.
- United States Department of Agriculture. 2003. National Agricultural Statistics Service. 2002 Census of agriculture, state profile: South Carolina. Accessed online on March 14, 2005 at <http://www.nass.usda.gov/census/census02/profiles/sc/cp99045.PDF>.
- United States Environmental Protection Agency. 2002. Level III & IV Ecoregions of North Carolina and South Carolina. http://www.epa.gov/wed/pages/ecoregions/ncsc_eco.htm
- United States Fish and Wildlife Service. 1984. Species Profiles: Life Histories and Environmental Requirements of Coastal Fisheries and Invertebrates (South Florida). Stone Crab. FWS/OBS-82/11.21.
- United States Fish and Wildlife Service. 1996. Carolina heelsplitter recovery plan. U.S. Fish and Wildlife Service. Atlanta, Georgia. 30 pp.
- United States Fish and Wildlife Service. 2002. Endangered and threatened wildlife and plants: designation of critical habitat for the Carolina heelsplitter. *Federal Register* 67(127) [July 2, 2002]:44502-44522.
- United States Fish and Wildlife Service. 2003. Recovery plan for the red-cockaded woodpecker (*Picoides borealis*): second revision. U.S. Fish and Wildlife Service, Atlanta, Georgia, USA. 296 pp.
- United States Geological Survey. 2005. National land cover data set. Web site. U. S. Geological Survey. Last accessed August, 2005.
- United States NABCI Committee. 2000. Bird conservation region descriptions: A supplement to the North American Bird Conservation Initiative Bird Conservation Regions Map. U.S. Fish and Wildlife Service, Washington, DC. Accessed online on August 15, 2005 at <http://www.nabci-us.org/aboutnabci/bcrdescrip.pdf>
- Van Dolah, R.F., A.F. Holland, L.D. Coen, A.H. Ringwood, M.V. Levisen, P.P. Maier, G.I. Scott, A.K. Leight, Y. Bobo and D. Richardson. 1999. Biological Resources, Report on the status of Broad Creek/Okatee River Systems. DHEC-MRRI-NOAA-Charleston. 281 pp.
- Van Dolah, R.F., P.C. Jutte, G.H.M. Riekerk, M.V. Levisen, S.E. Crowe, A.J. Lewitus, D.E. Chestnut, W. McDermott, D. Beardon and M.H. Fulton. 2004. The Condition of South Carolina's Estuarine and Coastal Habitats During 2001-2002: Technical Report. Charleston, SC: South Carolina Marine Resources Division. Technical Report No. 100. 70 pp.
- Van Dolah, R.F., P.H. Wendt and N. Nicholson. 1987. Effects of a research trawl on a hard-bottom assemblage of sponges and corals. *Fisheries Research*. 5:39-54.

- Van Dolah, R.F., P.P. Maier, M.H. Fulton and G.I. Scott. 1997. Comparison of azinphosmethyl toxicity on juvenile red drum, *Sciaenops ocellatus*, versus the mummichog, *Fundulus heteroclitus*. *Env. Toxicol. and Chem.* 16:1488-1493.
- Van Dolah, R.F., R.M. Martore, A.E. Lynch, P.H. Wendt, M.H. Levinson, J.D. Whitaker and W.D. Anderson. 1994. Environmental evaluation of the Folly Beach nourishment project. S.C. Mar. Res. Inst., S.C. Mar. Res. Div. Final Report submitted to the U.S. Army Engineer Dist. Charleston, South Carolina. 101 pp.
- Van Gelder, R.G. 1959. A taxonomic revision of the spotted skunk (genus *Spilogale*). *Bull. Am. Mus. Nat. Hist.* 117:229-392.
- Vang, A.H. Conservation tillage. <http://www.dnr.state.sc.us/land/tillage.html>. Accessed March 28, 2005.
- Vaughn, C.C. and F.M. Fisher. 1992. Dispersion of the salt marsh periwinkle *Littoraria irrorata*: effects of water level, size, and season. *Estuaries.* 15:246-250.
- Vecchione, M. 1991. Observations on the paralarval ecology of a euryhaline squid *Lolliguncula brevis* (Cephalopoda: Loliginidae). *Fish. Bull.* 89:515-521.
- Velez, A., B.J. Venables and L.C. Fitzpatrick. 1985. Growth and production of the tropical beach clam *Donax denticulatus* (Tellinidae) in eastern Venezuela. *Caribbean J. of Science.* 21:63-73.
- Von Harten, A., G. Sundin and C. Tambiah. 2002. Evaluation of specific biotic and abiotic factors affecting loggerhead (*Caretta caretta*) nests on Pritchard's Island, South Carolina, U.S.A. pp. 172-173 in: Seminoff, J. A., compiler. Proceedings of the Twenty-Second Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-503. 309 pp.
- Voss, G.L. 1956. A review of the cephalopods of the Gulf of Mexico. *Bull. Mar. Sci. Gulf Caribb.* 6: 85-178.
- Walker, E.P. 1964. Mammals of the world. Vol. 2. Johns Hopkins University Press. Baltimore, Maryland. 853 pp.
- Walker, J. and B. Van Eerden. 1996. Relationships between disturbance history and vegetation in Carolina sandhills. *Bull. Ecol. Soc. Of America.* 77:465.
- Walls, E.A. and J. Berkson. 2000. Effects of blood extraction on the mortality of the horseshoe crab, *Limulus polyphemus*. *Va. J. Mar. Sci.* 51(3):195-198.
- Walter Reed Biosystematics Unit. 2001. 2001 Systematic catalog of Culicidae. <http://www.mosquitocatalog.org/main.asp> [accessed 5 May 2005].
- Ward, J.E., R.I.E. Newell, R.J. Thompson and B.A. MacDonald. 1994. *In vivo* studies of suspension-feeding processes in the eastern oyster, *Crassostrea virginica* (Gmelin). *Biological Bulletin.* 186:221-240.
- Ward, J.E. and S.E. Shumway. 2004. Separating the grain from the chaff: particle selection in suspension- and deposit-feeding bivalves. *Journal Experimental Marine Biology and Ecology.* 300:83-130.
- Ware, S., C. Frost and P.D. Doerr. 1993. Southern mixed hardwood forest: the former longleaf pine forest. Pp. 447-493 in W.H. Martin, S.G. Boyce, and A.C. Echternacht, eds. Biodiversity of the southeastern United States: lowland terrestrial communities. John Wiley and Sons, Inc. New York, NY.
- Warren, M.L., Jr., B.M. Burr, S.J. Walsh, H.L. Bart, Jr., R.C. Cashner, D.A. Etnier, B.J. Freeman, B.R. Kuhajda, R.L. Mayden, H.W. Robison, S.T. Ross and W.C.

- Starnes. 2000. Diversity, distribution, and conservation status of the native freshwater fishes of the southern United States. *Fisheries* 25(10):7-31.
- Waring, G.T., J.M. Quintal and C.P. Fairfield. 2002. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments -2002. NOAA Tech. Memo. NMFS-NE-169. 328 pp.
- Waters, T. F. 1995. Sediment in streams: sources, biological effects, and control. American Fisheries Society, Monograph 7, Bethesda, Maryland.
- Weakley, A.S. 2004. Flora of the Carolinas, Virginia, and Georgia (updated 7 June 2004). University of North Carolina Herbarium, Chapel Hill, North Carolina. [<http://www.herbarium.unc.edu/flora.htm>].
- Weaver, J.E. and L.F. Hollaway. 1974. Community structure of fishes and macrocrustaceans in ponds of a Louisiana tidal marsh influenced by weirs. *Contrib. Mar. Sci.* 18:57-69.
- Wenner, C.A. and J. Archambault. 1996. Spotted seatrout: Natural history and fishing techniques in South Carolina. South Carolina Department of Natural Resources, Marine Resources Research Institute Educational Report 18.
- Wenner, C.A., W.A. Roumillat, J.E. Moran Jr., M.B. Maddox, L.B. Daniel III and J.W. Smith, 1990. Investigations on the life history and population dynamics of marine recreational fishes in South Carolina. Part I. Report to Fish Restoration Act under Project F-37. South Carolina Department of Natural Resources, Marine Resources Division. Charleston, South Carolina.
- Wenner, E.L. and A.D. Stokes. 1984. Observations on the fishable population of the stone crab *Menippe mercenaria* (Say) in South Carolina waters. *J. Shellfish Res.* 4 (2):145-153.
- Wharton, C.H. 1978. The natural environments of Georgia. Georgia Department of Natural Resources. Atlanta GA.
- Wheeler, A.G., Jr. 2002. *Leptoypa elliptica* McAtee and *L. ilicis* Drake (Hemiptera: Tingidae): new distribution records of seldom-collected lace bugs, with clarification of host-plant relationships. *Proceedings of the Entomological Society of Washington.* 104:687-691.
- Whitaker, J.D. 1978. A contribution to the biology of the neritic squids *Loligo pealei* and *Loligo plei* off the Southeastern United States. MS Thesis College of Charleston 161 pp.
- White, T.R., K.J. Tennessen, R.C. Fox and P.H. Carlson. 1980. The aquatic insects of South Carolina I: Anisoptera (Odonata). South Carolina Agricultural Experiment Station Bulletin. 632:1-153.
- Whyte, S.K., R.J. Cawthorn and S.E. McGladdery. 1994. QPX (Quahog Parasite X), a pathogen of northern *Mercenaria mercenaria* from the Gulf of St. Lawrence, Canada. *Dis. of Aquatic Organisms.* 19:129-136.
- Widener, J.W. and R.B. Barlow. 1999. Decline of a horseshoe crab population on Cape Cod. *Biol. Bull.* 197: 300-302.
- Wiggins, G.B. 1996. Larvae of the North American Caddisfly Genera (Trichoptera), Second Edition. University of Toronto Press. Toronto, Ontario. 457 pp.
- Wilkerson, W.B., Jr. J.B. Douthit, A. B. Carwile, R. F. Lawson, W.B. Bookhart, J.W. Higgins, L.E. Hendricks, B. Latham, T. S. Buie. 1972. Keepers of the land: A

- history of soil and water conservation districts in South Carolina. The South Carolina Association of Soil Conservation District Supervisors, INC. 154 pp.
- Williams, A.B. 1984. Shrimps, lobsters, and crabs of the Atlantic coast of the eastern United States, Maine to Florida. Smithsonian Institution Press, Washington, DC. 550 pp.
- Williams, A.G. 1984. Shrimps, Lobsters, and Crabs of the Atlantic coast of the eastern United States, Maine to Florida. Smithsonian Institution Press. Washington, D.C. 550 pp.
- Williams, J.D., M.L. Warren Jr., K.S. Cummings, J.L. Harris and R.J. Neves. 1993. Conservation status of the freshwater mussels of the United States and Canada. Fisheries. 18(9):6-22.
- Williamson, E.B. and L.K. Gloyd. 1933. A new species of Somatochlora from Florida (Odonata - Corduliinae). Occasional Papers of the Museum, of Zoology, University of Michigan. 262:1-7.
- Wilson, D.E. and D.M. Reeder. 1993. Mammal Species of the World. Smithsonian Institution. Washington, D.C. 1312 pp.
- Wilson J.G. 1999. Population dynamics and energy budget for a population of *Donax variabilis* (Say) on an exposed South Carolina beach. J. Exp. Mar. Biol. Ecol. 239:61-83.
- Wirgin, I., J.R. Waldman, J. Rosko, R. Gross, M.R. Collins, S.G. Rogers and J.E. Stabile. 2000. Genetic structure of Atlantic sturgeon populations based on mitochondrial DNA control region sequences. Trans. Am. Fish. Soc. 29:476-486.
- Wirth, E.F., S.A. Lund, M.H. Fulton and G.I. Scott, 2001. Determination of acute mortality in adults and sublethal embryo responses of *Palaemonetes pugio* to endosulfan and methoprene exposure. Aquatic Toxicology. 53:9-18.
- Wolcott, T.G. 1978. Ecological role of ghost crabs, *Ocypode quadrata* (Fabricius) on an ocean beach: scavengers or predators? Journal of Experimental Marine Biology and Ecology. 31:67-82.
- Wood, L. and W.J. Hargis, Jr. 1971. Transport of bivalve larvae in a tidal estuary. Pages 29-44. \In\ (D.J. Crisp, ed.). Fourth European Marine Biology Symposium. Cambridge University Press, Oxford.
- Woods Hole Oceanographic Institute (WHOI). 2004. The Harmful Algae Page. Available: <http://www.whoi.edu/redtide/>. Accessed: January 2005.
- Yensen, G. Kirkland, and IUCN/SSC Rodent Specialist Group editors. Gland, Switzerland and Cambridge, UK. 176 pp.
- Zeiner, H.G. 1975. Behavior of striped and spotted skunks. Ph.D. dissertation, University of California. Berkeley, California. 150 pp.