

**Taxonomic list of Mysids occurring in the South Atlantic Bight (<200 m)**

FAMILY MYSIDAE Haworth, 1825

SUBFAMILY SIRIELLINAE Norman, 1892

*Siriella thompsonii* (H. Milne-Edwards, 1837)

SUBFAMILY GASTROSACCINAE Norman, 1892

*Anchialina typica* (Krøyer, 1861)

*Bowmaniella dissimilis* (Coifmann, 1937)

*Bowmaniella mexicana* (W. M. Tattersall, 1951)

SUBFAMILY MYSINAE Hansen, 1910

Tribe Erythropini Hansen, 1910

*Amathimysis brattegardii* Stuck and Heard, 1981

*Amathimysis* sp. (near *serrata*)

Tribe Leptomysini Hansen, 1910

*Americamysis almyra* (Bowman, 1964)

*Americamysis bahia* (Molenock, 1969)

*Americamysis bigelowi* (W. M. Tattersall, 1926)

*Brasilomysis castroi* Băcescu, 1968

*Metamysidopsis swifti* Băcescu, 1969

*Mysidopsis furca* Bowman, 1957

*Mysidopsis* sp. (*mortenseni* complex)

*Neobathymysis renocolata* (W. M. Tattersall, 1951)

*Promysis atlantica* W. M. Tattersall, 1923

Tribe Mysini Hansen, 1910

*Neomysis americana* (S. I. Smith, 1873)

Tribe Heteromysini Hansen, 1910

*Heteromysis beetoni* Modlin, 1984

*Heteromysis formosa* S. I. Smith, 1873