

LITERATURE CITED

- Abella, S.R. 2002. Landscape Classification of Forest Ecosystems of Jocassee Gorges, Southern Appalachian Mountains, South Carolina. M.S. Thesis, Clemson University. Clemson, South Carolina.
- Allen, J. and K.S. Lu. 2000. Modeling and predicting future urban growth in the Charleston area. Strom Thurmond Institute, Clemson University. Clemson, South Carolina. American Museum of Natural History. ©1995-2004. <http://antbase.org/>
- American Bird Conservancy (ABC). 2013. <http://www.abcbirds.org>.
- Anderson, W.D., W.J. Keith, W.R. Tuten and F. H. Mills. 1979. A survey of South Carolina's Washed Shell Resource. SC Marine Resources Center, Tech. Report 36. 81pp.
- Appalachian State University. 2008. Growth in coastal development challenges insurance industry and property owners. ASU News.
- Arendt, R. 2003. Conservation Subdivision Design: A Brief Overview.
- Association of Fish and Wildlife Agencies (AFWA), Teaming with Wildlife Committee, State Wildlife Action Plan (SWAP) Best Practices Working Group. 2012. Best Practices for State Wildlife Action Plans—Voluntary Guidance to State for Revision and Implementation. Washington (DC): Association of Fish and Wildlife Agencies. 80 pp.
- Atlantic States Marine Fisheries Commission (ASMFC). 1985. Fishery management plan for American shad and river herring. Atlantic States Marine Fisheries Commission Fisheries Management Rep. No. 6. 369 pp.
- Atlantic States Marine Fisheries Commission (ASMFC). 1990. Fishery management plan for Atlantic sturgeon. Atlantic States Fisheries Commission Marine Fisheries Management Rep. No. 17. 73 pp.
- Atlantic States Marine Fisheries Commission (ASMFC). 1999. Amendment 1 to the fishery management plan for shad and river herring. Atlantic States Marine Fisheries Commission Fisheries Management Rep. No. 35. 76 pp.
- Atlantic States Marine Fisheries Commission (ASMFC). 2000. Atlantic States Marine Fisheries Commission Interstate Fishery Management Plan for American eel. Fishery Management Report 36. 79 pp.
- Atlantic States Marine Fisheries Commission (ASMFC). 2002. Addendum I to Amendment 1 and technical addendum #1 to the interstate fishery management plan for shad and river herring. Atlantic States Marine Fisheries Commission. 10 pp.
- Augspurger, T., A.E. Keller, M.C. Black, W.G. Cope and F.J. Dwyer. 2003. Water quality guidance for protection of freshwater mussels (Unionidae) from ammonia exposure. *Environmental Toxicology and Chemistry*. 22(11): 2569-2575.
- Aulbach-Smith, C.A. and S.J. deKoslowski. 1996. Aquatic and wetland plants of South Carolina. SC Department of Natural Resources. Columbia, South Carolina. 128 pp.
- Aust, W.M. and R. Lea. 1991. Soil temperature and organic matter in a disturbed forested wetland. *Soil Sci. Soc. Am. J.* 55:1741-1746.

- Aust, W.M., S.H. Schoenholtz, T.W. Zaebst and B.A. Szabo. 1997. Recovery status of a tupelo-cypress wetland seven years after disturbance: silvicultural implications. *Forest Ecol. and Man.* 90:161-169.
- Barden, L. S. 1997. Historic prairies in the Piedmont of North and South Carolina, USA. *Natural Areas Journal* 17:149-152.
- Barry, J. 1980. Natural vegetation of South Carolina. University of South Carolina Press. Columbia, South Carolina. 214 pp.
- Bart, H.L., M.S. Taylor, J.T. Harbaugh, J.W. Evans, S.L. Schleiger and W. Clark. 1994. New distribution records of Gulf Slope drainage fishes in the Ocmulgee River system, Georgia. *Southeastern Fishes Council Proceedings.* 30:4-9.
- Bat Conservation International (BCI). 2012. www.batcon.org.
- Beasley, B. R., D. A. Lange, K. T. Newland, and W. C. Brittain. 1988. South Carolina Rivers Assessment. South Carolina Water Resources Commission. Report No. 164. 249 pp.
- Beckvar, N., S. Salazar, M. Salazar and K. Finkelstein. 2000. An in situ assessment of mercury contamination in the Sudbury River, Massachusetts, using transplanted freshwater mussels (*Elliptio complanata*). *Canadian Journal of Fisheries and Aquatic Sciences.* 57(5):1103-1112.
- Belanger, T.V., C.G. Annis and D.D. VanEpps. 1990. Growth rates of the Asiatic clam, *Corbicula fluminea*, in the upper and middle St. Johns River, Florida. *Nautilus.* 104: 4-9.
- Bipartisan Policy Center (BPC). 2012. Seasons' End: Global Warming's Threat to Hunting and Fishing (www.seasonsend.org).
- Bogan, A.E. 1997. The silent extinction. *American Paleontologist.* 5(1): 2-4.
- Bogan, A.E. 2001. Extinction wave in the making. Pp.138-139. *In: The Red Book, The Extinction Crisis Face to Face.* A. Bräutigam and M.D. Jenkins, Editors. IUCN. Sierra Madre, California. 309 pp.
- Bogan, A.E. and J. Alderman. 2004. Workbook and key to the freshwater bivalves of South Carolina. USDA Forest Service. Columbia, South Carolina. 64 pp.
- Bohall-Wood, P. and M. Collopy. 1986. Abundance and habitat selection of two American kestrel subspecies in north-central Florida. *Auk.* 103:557-563.
- Bogan, A.E. and J.M. Alderman. 2008. Workbook and key to the freshwater bivalves of South Carolina (Revised Second Edition). i-ii + 1-66 pp. + 5 pls.
- Braun, E.L. 1950. Deciduous forests of eastern North America. Blakiston Co. Philadelphia, Pennsylvania. 596 pp
- Brose, P., D. Van Lear and J. Berst. 2001. Bringing fire back: the changing regimes of the Appalachian mixed-oak forests. *J. For.* 99:3-35.
- Brummett, R.E. and N.C. Alon. 1994. Polyculture of Nile tilapia (*Oreochromis niloticus*) and Australian red claw crayfish (*Cherax quadricarinatus*) in earthen ponds. *Aquaculture.* 122:47-54.
- Buck, D.H. 1956. Effects of turbidity on fish and fishing. *Trans. North Am. Wildl. Conf.* 21:249-261.
- Burkhead, N. M. 2012. Extinction Rates in North American Freshwater Fisheries, 1900-2010. *BioScience* 62(9): 79-808.
- Burnham, K.P. and D.R. Anderson. 2001. Kullback-Leibler information as a basis for strong inference in ecological studies. *Wildlife Research.* 28:111-119.

- Butler, P.A. 1968. Pesticides in the estuary. Pp 120-124. *In: Proceedings of the marsh and estuary management symposium*, J.D. Newsom (ed.). Louisiana State Univ. Baton Rouge, Louisiana.
- Camp, J. L. 2004. Use of a landscape ecological classification model to determine avian-habitat relationships in the mountains of South Carolina. MS Thesis, Clemson Univeristy. Clemson, South Carolina.
- Carolina Bird Club (CBC). 2013. <http://www.carolinabirdclub.org/brc/>.
- Carter, M. F., W. C. Hunter, D. N. Pashley, and K. V. Rosenberg. 2000. Setting conservation priorities for landbirds in the United States: the Partners in Flight approach. *Auk* 117:541-548.
- Cely, J. 2003. The South Carolina breeding bird atlas 1988-1995. South Carolina Department of Natural Resources. Columbia, South Carolina. 305 pp.
- Cobb, D.T., T.L. Sharpe, D. Sawyer, and D.O. Baumbarger. 2002. Integrating early-successional wildlife and habitats into North Carolina's 21st century landscape. *Proc. Annu. Conf. Southeast. Assoc. Fish and Wildl. Agencies* 56:124-135.
- Cofer-Shabica, S., J. Hackett, F. Phillips, G. Phipps, W. Reynolds and H. Robinson. 1999. The citizen's guide to the Charleston Harbor Project. Office of Ocean and Coastal Resource Management. Charleston, South Carolina. 76 pp.
- Collins, M.R., D. Cooke, B. Post, J. Crane, J. Bulak, T.I.J. Smith, T.W. Greig and J.M. Quattro. 2003. Shortnose Sturgeon in the Santee-Cooper reservoir system, South Carolina. *Trans. Amer. Fish. Soc.* 132(6):1244-1250.
- Conner, R.C. and R.M. Sheffield. 2000. South Carolina's forest resources -- 2000 update. U.S. Forest Service Southern Research Station, Resource Bulletin SRS-65.
- Cooper, J.E. 2003. A report on adventive crayfishes in North Carolina. A report prepared for the Subcommittee on Exotic Species of the Non-game Advisory Committee to the North Carolina Wildlife Resources Commission. 7 pp.
- Cooper, J.E. and S.A. Armstrong. 2007. Locality records and other data for invasive crayfishes (Decapoda: Cambaridae) in North Carolina. *Journal of the North Carolina Academy of Science.* 123(1):1-13.
- Cooper, K. 1989. Effects of polychlorinated dibenzo-*p*-dioxins and polychlorinated ibenzofurans on aquatic organisms. *Reviews in Aquatic Sciences.* 1(2):227-242.
- Corn, L.C., E.H. Buck, J. Rawson, and E. Fischer. 1999. Harmful Non-Native Species: Issues for Congress. Congressional Research Service Issue Brief, RL30123.
- Cullitan, T. J., M. A. Warren, T. R. Goodspeed, D. G. Remer, C. M. Blackwell, and J. J.McDonough, III. 1990. Fifty years of population change along the nation's coasts 1960-2010. Coastal Trends Series, Report No. 2, Strategic Assessment Branch, National Oceanic and Atmospheric Association, Rockville, MD, 41 p.
- Cushman, R.M. 1985. Review of ecological effects of rapidly carrying flows downstream from hydroelectric facilities. *North American Journal of Fisheries Management* 5:330-339.
- Davies, R.W. 1991. Annelida: leeches, polychaetes, and acanthobdellids. Pages 437-479 *In: Ecology and Classification of North American Freshwater Invertebrates*, J.H. Thorp and A.P. Covich, Eds. Academic Press, Inc., San Diego, CA. i-xii + 1-911 pp.

- Deacon, J.E., G. Kobetich, J.D. Williams and S. Contreras. 1979. Fishes of North America endangered, threatened, or of special concern. *Fisheries* 4(2): 30-44.
- de Kozlowski, S., C. Page, and J. Whetstone. 2002. Zebra mussels in South Carolina: the potential risk of infestation. 14 pp.
- Dillon, R.T. Jr. 2000. The ecology of freshwater molluscs. Cambridge University Press, Cambridge. 509 pp.
- Dillon, R.T., Jr. and E.P. Keferl. 2000. A survey of the pleurocerid gastropods of South Carolina. Pages 153–160 *In: Freshwater Mollusk Symposium Proceedings*, Tankersley, Warmolts, Watters, Armitage, Johnson, and Butler, Eds. Ohio Biological Survey, Columbus, Ohio.
- Dillon, R.T., Jr. and T.W. Stewart. 2010. The freshwater gastropods of South Carolina. Internet address: <http://www.fwgna.org/FWGSC>.
- Doeg, T. J. and Koehn, J. D. 1994. Effects of draining and desilting a small weir on downstream fish and macroinvertebrates. *Regul. Rivers: Res. Mgmt.*, 9(4): 263–277. doi: 10.1002/rrr.3450090407.
- Dudley, R.G., A.W. Mullis and J.W. Terrell. 1977. Movements of striped bass (*Morone saxatilis*) in the Savannah River, Georgia. *Trans. Amer. Fish. Soc.* 106(4):314-322.
- Duellman, W.E. 1999. Patterns of distribution of amphibians: A global perspective. Johns Hopkins University Press. Baltimore, Maryland. 633 pp.
- Eads, C.B., R.B. Bringolf, R.D. Greiner, A.E. Bogan, and J.F. Levine. 2010. Fish hosts of the Carolina heelsplitter (*Lasmigona decorata*), a federally endangered freshwater mussel (Bivalvia: Unionidae). *American Malacological Bulletin* 28(2): 151–158.
- Edmunds, G F. and J.R. Traver. 1959. The classification of the Ephemeroptera I. Ephemeroidea: Behningiidae. *Annals of the Entomological Society of America*. 52:43-51.
- Ellis, M.M. 1931. Some factors affecting the replacement of the commercial freshwater mussels. U. S. Bureau of Fisheries Fishery Circular. 7:1-10.
- Ellis, M.M. 1936. Erosion silt as a factor in aquatic environments. 1936. *Ecology*. 17(1): 29-42.
- Elzinga, C.L., D. Salzer, J. Gibbs and J. Willoughby. 2001. Monitoring plant and animal populations. Blackwell Science Inc. Malden, Massachusetts.
- Erwin, T.L. 1997. Biodiversity at its utmost: tropical forest beetles. *In: Reaka-Kudla, M.L., D.E. Wilson, and E.O. Wilson (eds.), Biodiversity II*. Joseph Henry Press. Washington, D.C. pp.27-40.
- Erwin, T.L. 1983. Beetles and other Arthropods of the tropical forest canopies at Manaus, Brazil, samples with insecticidal fogging techniques. Pages 59-75. *In: S.L. Sutton, T.C. Whitmore and A.C. Chadwick (eds.), Tropical rain forests: ecology and management*. Blackwell Scientific Publications: Oxford.
- Erwin, T.L. 1988. The tropical forest canopy--The heart of biotic diversity. Pages 123-129. *In: E.O. Wilson (ed.), Biodiversity*. National Academy Press. Washington, D.C.
- Erwin, T.L., 1982. Tropical forests: their richness in Coleoptera and other arthropod species. *Coleopterists' Bulletin*. 36: 74-75
- Etnier, D.A. and W.C. Starnes. 1993. The Fishes of Tennessee. The University of Tennessee Press. Knoxville, Tennessee. 681 pp.

- Eversole, A.G. and B.C. Sellers. 1996. Comparison of relative crayfish toxicity values. *Freshwater Crayfish*. 11:274-285.
- Eversole, A.G., J.M. Whetstone and B.C. Sellers. 1996. Handbook of relative acute toxicity values for crayfish. S. C. Sea Grant Consortium, National Oceanic and Atmospheric Administration. 8 pp.
- Ferguson, L.M., P.G. Jodice, W. Post and F. J. Sanders. 2005. Reddish Egret extends its breeding range along the North American Atlantic Coast into South Carolina. *Waterbirds* 28: 525-526.
- Footitt, R.G. and P.H. Adler, editors. 2009. Insect Biodiversity: Science and Society. Wiley-Blackwell, Oxford, United Kingdom. 632 pp.
- Forsythe, D.M. and W.B. Ezell, Eds. 1976. Proceedings of the First South Carolina Endangered Species Symposium. SC Wildlife and Marine Resources Dept. Columbia, South Carolina. (Available from the SC Dept. of Natural Resources, PO Box 167, Columbia, SC 29202)
- Fox, R. 2000. Stream geomorphology, laboratory exercises for limnology. Lander University. Greenwood, South Carolina.
- Franklin, A.B. and T.M. Shenk. 1995. Meta-analysis as a tool for monitoring of wildlife populations. Pages 484-487. *In*: J.A. Bisonette and P.R. Krausman, eds. Integrating people and wildlife for a sustainable future. Proceedings of the First International Wildlife Management Congress. The Wildlife Society. Bethesda, Maryland.
- Frost, C.C. 1990. Natural diversity and status of longleaf pine communities. *In*: G. Youngblood and D.L. Frederick (eds.): *Forestry in the 1990's - A changing environment*. Pinehurst, NC: Society of American Foresters. Regional Technical Conference. pp. 26-35.
- Frost, C.C. 1993. Four centuries of changing landscape patterns in the longleaf pine ecosystem. Pp. 17-44. *In*: S.M. Hermann, ed. *The longleaf pine ecosystem: ecology, restoration, and management*. Tall Timbers Fire Ecology Conference Proceedings, NO. 18. Tall Timbers Research Station, Tallahassee, Florida.
- Frost, C.C. 1998. Presettlement fire frequency regimes of the United States: a first approximation. Pages 70-81. *In*: T.L. Pruden and L.A. Brennan, eds. *Fire in ecosystem management: shifting the paradigm from suppression to prescription*. Tall Timbers Fire Ecology Conference Proceedings, No. 20. Tall Timbers Research Station, Tallahassee, Florida.
- Fuller, S.L.H. 1974. Clams and mussels (Mollusca: Bivalvia). Pp. 215-273. *In*: *Pollution ecology of freshwater invertebrates*, C.W. Hart, Jr. and S.L.H. Fuller, Eds. Academic Press. New York, New York. 389 pp.
- Fuller, S.L.H. 1979. Fresh-water mussels (Mollusca: Bivalvia: Unionidae). Pages 114-125 *In*: Proceedings of the 1st South Carolina Endangered Species Symposium, D.M. Forsyth and W.B. Ezell, Jr., Eds. South Carolina Wildlife and Marine Resources Department and The Citadel. 201 pp.
- Glazer, R. 2013. Alternative Futures Under Climate Change for the Florida Keys' Benthic and Coral Systems, Final Report. Florida Fish and Wildlife Conservation Commission. 39 pp.
- Govedich, F.R., B.A. Bain, W.E. Moser, S.R. Gelder, R.W. Davies and R.O. Brinkhurst.

2010. Annelida (Clitellata): Oligochaeta, Branchiobdellida, Hirudinida, and Acanthobdellida. Pages 385–436 *In: Ecology and Classification of North American Freshwater Invertebrates* (3rd ed.), J.H. Thorp and A.P. Covich, Eds. Academic Press / Elsevier, London, UK, Burlington, MA and San Diego, CA. i–xiv + 1–1021 pp.
- Griffith, G.E., Omernick, J.M., Comstock, J.A., Schafale, M.P., McNab, W. H., Lenat, D.R., MacPherson, T.F., Glover, J.B., and Shelburne, V.B., 2002. Ecoregions of North Carolina and South Carolina (color poster with map, descriptive text, summary tables, and photographs). Reston, Virginia. U.S. Geological survey Map (map scale 1:1,500,000).
- Guire, C.R., L.E. Nichols and R.T. Rachels. 1984. Biological investigations of flathead catfish in the Cape Fear River. *Proceedings of the Southeastern Association of Fish and Wildlife Agencies*. 35(1981):607-621.
- Guthery, F. S., M. J. Peterson, and R. R. George. 2000. Viability of northern bobwhite populations. *Journal of Wildlife Management* 64:646–662.
- Hamel, P. 1992. Land Manager's Guide to the Birds of the South. The Nature Conservancy, Southeastern Region. Chapel Hill, North Carolina. 437 pp.
- Hammer, R. B. and V. C. Radeloff. 2003. Projected Housing Density slide presentation. University of Wisconsin-Madison.
- Hartfield, P. 1993. Headcuts and their effect on freshwater mussels. Pages 131-141 *in* K. S. Cummings, A. C. Buchanan, and L. M. Kock, eds. Conservation and management of freshwater mussels. *Proceedings of an Upper Mississippi River Conservation Committee (UMRCC) symposium, 12-14 October 1992, St. Louis, Missouri, UMRCC, Rock Island, IL.*
- Hayes, W. E. and G. M. Penny. 2002. Fisheries Investigations in Lakes and Streams, District III. Annual Progress Report (F-63-7-3). SC Dept. of Natural Resources. 130 pp.
- Hebert P.D.N., Cywinska A., Ball S.L., deWaard J.R. 2003. Biological identifications through DNA barcodes. *Proc R Soc Lond B Biol Sci* 270: 313–321.
- Helfrich, L.A., C. Liston, S. Hiebert, M. Albers and K. Frazer. 1999. Influence of low-head diversion dams on fish passage, community composition, and abundance in the Yellowstone River, Montana. *Regulated Rivers: Research and Management*. 7:21-32.
- Hobbs, H.H. Jr. 1981. The Crayfishes of Georgia. *Smithsonian Contributions to Zoology*. 318. 549 pp.
- Hobbs, H.H. Jr. 1983. *Distocambarus* (Fitzcambarus) *Carlsoni*, a new subgenus and species of crayfish (Decapoda: Cambaridae) from South Carolina. *Proceedings of the biological society of Washington*. 96(3):429-439.
- Hobbs, H.H. III. 1991. Decapoda. Pages 823-858. *In: Ecology and classification of North American freshwater invertebrates*, J. Thorp and A.P. Covich, eds. Academic Press. New York, New York. 911 pp.
- Hobbs, H.H. Jr. and E.T. Hall, Jr. 1974. pages 195-214. *In: Pollution ecology of freshwater invertebrates*, C.W. Hart, Jr. and S.L.H. Fuller, eds. Academic Press. New York, New York. 389 pp.

- Hobbs, H.H. III, J.P. Jass and J. V. Huner. 1989. A review of global crayfish introductions with particular emphasis on two North American species (Decapoda, Cambaridae). *Crustaceana*. 56(3):299-316.
- Hoffman, G.L. 1999. *Parasites of North American freshwater fishes* (2nd ed.). Comstock Publishing Associates, Cornell University Press, Ithaca, NY and London. i–xviii + 1–539 pp.
- Holthausen, R., R. L. Czaplewski, D. DeLorenzo, G. Hayward, W. B. Kessler, P. Manley, K. S. McKelvey, D. S. Powell, L. F. Ruggiero, M. K. Schwartz, B. VanHorne, C. D. Vojta. 2005. Strategies for monitoring terrestrial animals and habitats. Report of the Wildlife Monitoring Steering Committee. US Forest Service, Howard, T.E. and H.E. LeGrand. 2004. Notes on North Carolina butterflies. www.ncsparks.net/butterfly/11th.html
- Hsieh, Y-H.P., F.M. Leong, and J. Rudloe. 2001. Jellyfish as food. *Hydrobiologia* 451:11-17.
- Hulme, P. E. 2005. Adapting to climate change: is there scope for ecological management in the face of a global threat? *Journal of Applied Ecology* 43:617-627.
- Hunter, C., R. Katz, D. Pashley and B. Ford. 1999. Partners In Flight Bird Conservation Plan for the Southern Blue Ridge (Physiographic Area 23). American Bird Conservancy. The Plains, Virginia. 101 pp.
- Hunter, W., M. Carter, D. Pashely and K. Barker. 1993. The Partners in Flight prioritization process scheme. Pages 109-119. *In: Status and Management of Neotropical Migratory Birds General Technical Report RM-229*. USDA, Forest Service, Rocky Mountain Forest and Range Experiment Station, D. Finch and P. Stangel, editors. Fort Collins, Colorado. 422 pp.
- Hunter, W.C. and D. Demarest. 2005. All-bird conservation list, abridged version 1.0 for BCR 27, 28, and 29. U.S. Fish and Wildlife Service, Atlanta, Georgia. (Unpublished but available upon request from the authors).
- Hunter, W.C., L. Peoples and J. Collazo. 2001. Partners In Flight Bird Conservation Plan for the South Atlantic Coastal Plain (Physiographic Area 3). American Bird Conservancy. The Plains, Virginia. 166 pp.
- Hutchins, M. 2011. The Aliens Among Us. Ruminations from the Executive Director. *The Wildlifer*. The Wildlife Society. Is. 379.
- Jelks, H. L. et al. 2008. Conservation status of imperiled North American freshwater and diadromous fishes. *Fisheries* 33(8): 372-407.
- Jenkins, R.E., and N.M. Burkhead. 1993. *Freshwater Fishes of Virginia*. American Fisheries Society. Bethesda, Maryland. 1079 pp.
- Johnson, P.D., A.E. Bogan, K.M. Brown, N.M. Burkhead, J.R. Cordeiro, J.T. Garner, P.D. Hartfield, D.A.W. Lepitzki, G.L. Mackie, E. Pip, T.A. Tarpley, J.S. Tiemann, N.V. Whelan, and E.E. Strong. 2013. Conservation Status of Freshwater Gastropods of Canada and the United States. *Fisheries* 38(6): 247-282.
- Johnson, D.H., and L.D. Igl. 2001. Area requirements of grassland birds: a regional perspective. *The Auk* 118 (1): 24-34.
- Jutte, P.C., R.F. Van Dolah, M.V. Levisen, P. Donovan-Ealy, P.T. Gayes, and W.E. Baldwin. 1999. An Environmental Monitoring Study of the Myrtle Beach Renourishment Project: Physical and Biological Assessment of Offshore Sand

- Borrow Sites. Phase I - Cherry Grove Borrow Area. Final Report submitted to the U.S. Army Corps of Engineers, Charleston District. 79p + appendices
- Kana, T.W. 1988. Beach erosion in South Carolina. Publication of the SC Sea Grant Consortium, March 1988, SCCG-SP-88-1. 55 pp.
- Kanehl, P. D., J. Lyons, and J. E. Nelson. 1997. Changes in the habitat and fish community of the Milwaukee River, Wisconsin, following removal of the Woolen Mills Dam. *North American Journal of Fisheries Management* 17:387-400.
- Keferl, E.G. 1993. The status of freshwater mussels in some Georgia, South Carolina and North Carolina waters. Pages 298–302 in K.J. Hatcher (ed.), *Proceedings of the 1993 Georgia Water Resources Conference*, The University of Georgia, Athens, 20–21 April 1993. 412 pp.
- Klemm, D.J. 1982. Leeches (Annelida: Hirudinea) of North America. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Cincinnati, Ohio. EPA-600/3-82-025. i–xvii + 1–177 pp.
- Klemm, D.J. 1995. Identification guide to the freshwater leeches (Annelida: Hirudinea) of Florida and other southern states. Florida Department of Environmental Protection, Tallahassee, Florida. i–v + 1–82 pp.
- Kohlsaatt, T., L. Quattro and J. Rinehart. 2005. South Carolina Comprehensive Wildlife Conservation Strategy 2005–2010. South Carolina Department of Natural Resources. i–viii + 1–287 pp.
- Kynard, B. 1997. Life history, latitudinal patterns, and status of shortnose sturgeon. *Environ. Biol. Fish.* 48:319-334.
- Lawrence, C.B. 1976. Soil survey of Lexington County, South Carolina. USDA, Soil Conservation Service. Washington.
- Lewison, R.L., S.A. Freeman and L.B. Crowder. 2004. Quantifying the effects of fisheries on threatened species: the impact of pelagic longlines on loggerhead and leatherback sea turtles. *Ecology Letters*. 7:221-231.
- Light, J. E., A. C. Fiumera, and B.A. Porter. 2005. Egg-feeding in the freshwater piscicolid leech *Cystobranchus virginicus* (Annelida, Hirudinea). *Invertebrate Biology* 124(1): 50–56.
- Lockaby, B.G., R.H. Jones, R.G. Clawson, J.S. Meadows, J.A. Stanturf and F.C. Thornton. 1997. Influences of harvesting on functions of floodplain forests associated with low-order, blackwater streams. *Forest Ecol. and Man.* 90:217-224.
- Lodge, D.M., M.W. Kershner, J.E. Aloï and A.P. Covich. 1994. Effects of an omnivorous crayfish (*Orconectes rusticus*) on a freshwater littoral food web. *Ecology*. 75(5):1265-1281.
- Lodge, D.M., C.A. Taylor, D.M. Holdich and J. Skurdal. 2000a. Nonindigenous crayfishes threaten North American freshwater biodiversity: lessons from Europe. *Fisheries*. 25(8):7-20.
- Lodge, D.M., C.A. Taylor, D.M. Holdich and J. Skurdal. 2000b. Reducing impacts of exotic crayfish introductions: new policies needed. *Fisheries*. 25(8):21-23.
- Loss, S.R., T. Will and P.P. Marra. 2013. The impact of free-ranging domestic cats on wildlife in the United States. *Nature Communications* 4, Article number 1396. (www.nature.com/ncomms/journal/v4/n1/full/ncomms2380.html)

- Lydeard, C. and R.L. Mayden. 1995. A diverse and endangered aquatic ecosystem of the southeast United States. *Conservation Biology*. 9:800-805.
- Lydeard, C., R.H. Cowie, W.F. Ponder, A.E. Bogan, P. Bouchet, S.A. Clark, K.S. Cummings, T.J. Frest, O. Gargominy, D.G. Herbert, T. Hershler, K.E. Perez, B. Roth, M. Seddon, E.E. Strong and F.G. Thompson. 2004. The global decline of nonmarine mollusks. *Bioscience*. 54(4): 321-330.
- Marshall, W.D. 1993. Biological diversity. *In*: Marshall, W.D, ed. Assessing change in the Edisto River Basin: An ecological characterization. SC Water Resources Commission Report No. 177. Columbia, South Carolina.
- Mathews, T.D., F.W. Stapor, Jr., C.R. Richter, J.V. Miglarese, M.D. McKenzie and L.A. Barclay, eds. 1980. Ecological characterization of the Sea Island coastal region of South Carolina and Georgia. Vol. 1: Physical features of the characterization area. U.S. Fish and Wildlife Service, Office of Biological Services, Washington, D.C. FWS/OBS-79/40. 212 pp.
- May, R.M. 2010. Tropical Arthropod Species, More or Less? *Science*. 329: 41-42.
- McCann, J.A., L.N. Arkin and J.D. Williams. 1996. Nonindigenous aquatic and selected terrestrial species of Florida – Status, pathway, and time of introduction, present distribution, and significant ecological and economic effects. Southeastern Biological Science Center, Gainesville, Florida. 256 pp.
- McCord, J.W. 2003. Investigation of fisheries parameters for anadromous fishes in South Carolina. Completion Rep. to NMFS, Project No. AFC-53. SCDNR, Charleston, SC. 145 pp.
- McDowall, R.M. 1988. Diadromy in fishes: migrations between freshwater and marine environments. Timber Press, Portland, Oregon. 308 pp.
- McLaughlin, P.A., D.K. Camp, M.V. Angel, E.L. Bousfield, P. Brunel, R.C. Brusca, D. Cadien, A.C. Cohen, K. Conlan, L.G. Eldredge, D.L. Felder, J.W. Goy, T. Haney, B. Hann, R.W. Heard, E.A. Hendrycks, H.H. Hobbs III, J.R. Holsinger, B. Kensley, D.R. Laubitz, S.E. LeCroy, R. Lemaitre, R.F. Maddocks, J.W. Martin, P. Mikkelsen, E. Nelson, W.A. Newman, R.M. Overstreet, W.J. Poly, W.W. Price, J.W. Reid, A. Robertson, D.C. Rogers, A. Ross, M. Schotte, F.R. Schram, C.-T. Shih, L. Watling, G.D.F. Wilson, and D.D. Turgeon. 2005. Common and scientific names of aquatic invertebrates from the United States and Canada: crustaceans. American Fisheries Society, Special Publication 31, Bethesda, Maryland. i–xiii + 1–545 pp.
- Meyer, J.L. and C.A. Couch. 2000. Influence of watershed land use on stream ecosystem structure and function. Environmental Protection Agency and University of Georgia. EPA Grant Number: R824777.
<http://es.epa.gov/ncerqa/final/grants/95/water/meyer.html>
- Miley, Gallo, and Associates, LLC. 2008. The Economic Impact of the Agribusiness Industry in South Carolina. Prepared for the Palmetto Agribusiness Council. Columbia, SC. 32 pp.
- Mizzell, H., M. Malsick, I. Abramyan. 2014. South Carolina's Climate Report Card: Understanding South Carolina's Climate Trends and Variability. Abstract from the 2014 Carolinas Climate Resilience Conference, Charlotte, NC, April 28-29, 2014.
- Moglen, G.E. 2000. Urbanization, stream buffers, and stewardship in Maryland. Pp. 234

- 238. *In*: T.R. Schueler and H. K. Holland, eds. The practice of watershed protection. The Center for Watershed Protection, T.R. Schueler and H. K. Holland, eds. Ellicott City, Maryland.
- Molnar, J.L., Gamboa, R.L., Revenga, C. and Spalding, M.D. 2008. Assessing the global threat of invasive species to marine biodiversity. *Frontiers in Ecology and the Environment* 6:485-492.
- Moore, F.R., S.A. Gauthreaux, Jr., P. Kerlinger and T.R. Simons. 1995. Habitat requirements during migration: important link in the conservation of Neotropical landbird migrants. Pp. 121-144 *In*: T.E. Martin and D.M. Finch (eds.). Ecology and management of Neotropical migratory birds: a synthesis and review of critical issues. Oxford University Press. New York, New York.
- Mora, C., D.P. Tittensor, S. Adl, A.G.B. Simpson, and B. Worm. 2011. How many species are there on earth and in the ocean? *PloS Biology* 9(8): 1-7.
- Moser, W.E., R.W. Van Devender and D.J. Klemm. 2005. Life history and distribution of the leech *Oligobdella biannulata* (Moore, 1900) (Euhirudinea: Glossiphoniidae). *Comparative Parasitology* 72(1): 17-21.
- Moser, W.E., D.J. Klemm, A.J. Phillips, S.E. Trauth, R.G. Neal, J.W. Stanley, M.B. Connor and J.E. Flotemersch. 2011. Distribution of the genus *Philobdella* (Macrobdelellidae: Hirudinida), including new locality records from Arkansas and Oklahoma. *Comparative Parasitology* 78(2): 387-391.
- Murdoch, P.S., J.S. Baron and T.L. Miller. 2000. Potential effects of climate change on surface-water quality in North America. *Journal of the American Water Resources Association* 36: 347-366.
- Murray, C.H. 1995. Carolina rocks! The geology of South Carolina. Sandlapper Publishing Co., Inc. Orangeburg, South Carolina.
- Myers, R. K., R. Zahner and S.M. Jones. 1986. Forest Habitat Regions of South Carolina from Landsat Imagery. Clemson University, Forest Research Series No. 42, Clemson, SC.
- National Assessment Synthesis Team (NAST). 2000. Climate Change Impacts on the United States-The Potential Consequences of Climate Variability and Change. Overview by the National Assessment Synthesis Team for the US Global Change Research Program, Cambridge University Press, Cambridge, UK.
- NatureServe. 2002. States of the union: ranking America's biodiversity. A report prepared for The Nature Conservancy. NatureServe. Arlington, Virginia. www.natureserve.org
- National Marine Fisheries Service (NMFS). 1998. Recovery plan for the shortnose sturgeon (*Acipenser brevirostrum*). Prepared by the Shortnose Sturgeon Recovery Team, National Marine Fisheries Service, Silver Spring, Maryland. 104 pp.
- National Marine Fisheries Service and US Fish and Wildlife Service (NMFS & USFWS). 1991. Recovery Plan for U.S. Population of Loggerhead Turtle. National Marine Fisheries Service, Washington, D.C. 64 pp.
- National Research Council. 1990. Decline of the sea turtles: causes and prevention. National Academy Press. Washington, D.C. 259 pp.
- Needham, J.G., M.J. Westfall, Jr. and M.L. May. 2000. Dragonflies of North America. Scientific Publishers. Gainesville, Florida. 940 pp.

- Nelson, E. L. 1993. Instream sand and gravel mining. Pages 189-196 in C. F. Bryan and D. A. Rutherford, eds. Impacts on warmwater streams: guidelines for evaluation. Southern Division, American Fisheries Society, Little Rock, AR.
- Nelson, J.B. 1986. The natural communities of South Carolina – initial classification and description. SC Wildlife and Marine Resources Dept. Columbia, South Carolina.
- Neves, R.J. and L. Depres. 1979. The oceanic migration of American shad, *Alosa sapidissima*, along the Atlantic coast. Fish. Bull. 77:199-212.
- Newport, B. D., and J. E. Moyer. 1974. State-of-the-art: sand and gravel industry. U.S. Environmental Protection Agency Technical Series Report 660/2-74-0066, Washington, DC.
- North Carolina Wildlife Resources Commission (NCWRC). 2002. Guidance memorandum to address and mitigate secondary and cumulative impacts to aquatic and terrestrial wildlife and water quality. Accessed August 21, 2004 http://www.newildlife.org/pg07_WildlifeSpeciesCon/pg7c3_impacts.pdf.
- Noss, R.F. 1989. Longleaf pine and wiregrass: keystone components of an endangered ecosystem. Natural Areas Journal. 9(4):211-213.
- Oakley, K.L., L.P. Thomas and S.G. Fancy. 2003. Guidelines for long-term monitoring protocols. Wildlife Society Bulletin. 31(4): 1000-1003.
- Odegaard, F. 2000. How many species of arthropods? Erwin's estimate revised. *Biological Journal of the Linnean Society* 71(4):583-597. <http://invertebrates.ifas.ufl.edu/ErwinRevised.pdf>
- Ortmann, A.E. 1909. The destruction of the fresh-water fauna in western Pennsylvania. Proceedings of the American Philosophical Society. 48(191):90-111.
- Palmer, M.A., C.A. Reidy Liermann, C. Nilsson, M. Florke, J. Alcama, P.S. Lake and N. bond. 2008. Climate change and the world's river basins: anticipating management options. *Frontiers in Ecology and the Environment* 6: 81-89.
- Panjabi, A., C. Beardmore, P. Blancher, G. Butcher, M. Carter, D. Demarest, E. Dunn, C. Hunter, D. Pashley, K. Rosenberg, T. Rich and T. Will. 2001. The Partners In Flight Handbook on Species Assessment and Prioritization. Version 1.1. Rocky Mountain Bird Observatory. Brighton, Colorado. Accessed on June 13, 2005 at <http://www.rmbo.org/pubs/downloads/Handbook.pdf>
- Parmalee, P.W. and A.E. Bogan. 1998. The Freshwater Mussels of Tennessee. University of Tennessee Press. Knoxville, Tennessee. 328 pp.
- Pashley, D.C. Beardmore, J. Fitzgerald, R. Ford, W. Hunter, M. Morrison and K. Rosenberg. 2000. Partners in Flight: conservation of the land birds of the United States. American Bird Conservancy. The Plains, Virginia. 92 pp.
- Patterson, K.D. 1994. Classification of vegetation in Ellicot Rock Wilderness, Southeastern Blue Ridge Escarpment. MS Thesis. North Carolina State University.
- Perison, D., J. Phelps, C. Pavel and R. Kellison. 1997. The effects of timber harvest in a South Carolina blackwater bottomland. *Forest Ecol. and Man.* 90(1997):171-185.
- Perry, R.D., H.P. Mizzell, S. Howard, S., Arnott, D. Whitaker, J. Scurry, R. Chapman, L. Quattro, M. Kiuchi, R. Walker, B. Beasley, K. Kibler, D. Shipes, R. Self, V. Vejdani, K. Swink, M. Linnenbrink and V. McCarty. 2012. Climate Change Impacts to Natural Resources in South Carolina. R.D. Perry and H. Mizzell,

- eds.* South Carolina Department of Natural Resources, Columbia, SC. 101 pp.
<http://dnr.sc.gov/pubs/CCINatResReport.pdf>
- Peterson, C.H., D.H.M. Hickerson, and G.G. Johnson. 2000. Short-term consequences of nourishment and bulldozing on the dominant large invertebrates of a sandy beach. *Journal of Coastal Research* 16: 368–78.
- Pew Research Center. 2013. News Use Across Social Media Platforms. Accessible from <http://www.journalism.org/2013/11/14/news-use-across-social-media-platforms/>.
- Pilgrim, E.M., S.A. Jackson, Swenson S., Turcsanyi, E.F., Friedman, E., Weight, L., and M. Bagley. 2011. Incorporation of DNA barcoding into large-scale biomonitoring programs: opportunities and pitfalls. *J.N. Benthol. Soc.* 30(1):217-231.
- Pimentel, D., R. Zuniga and D. Morrison. 2005. Update on the environmental and economic costs associated with alien-invasive species in the United States. *Ecological Economics.* 52(3):273-288.
- Poly, W.J. 2007. Crayfishes, shrimps, and crabs from the Statewide Stream Assessment. Pages 48–55 in *Statewide Research – Freshwater Fisheries Annual Progress Report (2007, F–63)*, Division of Wildlife and Freshwater Fisheries, South Carolina Department of Natural Resources. i–iv + 1–82 pp.
- Poly, W.J. 2011. First record of the leech, *Macrobdella sestertia* (Annelida: Hirudinida), in South Carolina. Pages 142–145 *In: Statewide Research – Freshwater Fisheries Annual Progress Report (2011, F–63)*, Division of Wildlife and Freshwater Fisheries, South Carolina Department of Natural Resources. i–ix + 1–159 pp.
- Porcher, R.D. and D.A. Rayner. 2001. *A guide to the wildflowers of South Carolina.* University of South Carolina Press. Columbia, South Carolina.
- Price, J.E. and C. Eads. 2011. Brooding patterns in three freshwater mussels of the genus *Elliptio* in the Broad River in South Carolina. *American Malacological Bulletin* 29(1–2): 121–126.
- Probst, W.E., C.F. Rabeni, W.G. Covington and R.E. Marteney. 1984. Resource use by stream-dwelling rock bass and smallmouth bass. *Transactions of the American Fisheries Society.* 113(3):283-294.
- Rabeni, C.F. 1992. Trophic linkage between stream centrarchids and their crayfish prey. *Canadian Journal of Fisheries and Aquatic Sciences.* 49:1714-1721.
- Rich, T., C. Beardmore, H. Berlanga, P. Blancher, M. Bradstreet, G. Butcher, D. Demarest, E. Dunn, W. Hunter, E. Inigo-Elias, J. Kennedy, A. Martell, A. Panjabi, D. Pashley, K. Rosenberg, C. Rustay, J. Wendt and T. Will. 2004. *Partners In Flight North American Landbird Conservation Plan.* Cornell Lab of Ornithology. Ithaca, New York. 84 pp.
- Robins, C.R. and G.C Ray. 1986. *A field guide to Atlantic Coast fishes of North America.* The Peterson field guide series; 32. Houghton Mifflin Company, Boston, Massachusetts. 354 pp.
- Roell, M.J. and D.J. Orth. 1993. Trophic basis of production of stream-dwelling smallmouth bass, rock bass, and flathead catfish in relation to invertebrate bait harvest. *Transactions of the American Fisheries Society* 122(1):46-62.
- Rohde, F. C., R. G. Arndt, J. W. Foltz and J. M. Quattro. 2009. *Freshwater Fishes of South Carolina.* The University of South Carolina Press, Columbia. 544 pp.
- Roth, L. and R. Franklin. 2009. *Timing of Prescribed Fire in Longleaf Pine Management:*

- Benefits, Risks, and Roles by Season. Clemson Extension Forestry Leaflet 32. (http://www.clemson.edu/extension/county/allendale/programs/forestry_and_natural_resources/Folder/ForLf32.pdf)
- Rusk, David. 2003. Stronger cities for a stronger South Carolina. Accessed online on August 11, 2005 at <http://www.gamaliel.org/DavidRusk/MASC%20speech%207-11-03.pdf>
- Sawyer, R.T. 1972. North American freshwater leeches, exclusive of the Piscicolidae, with a key to all species. *Illinois Biological Monographs* 46. [5] + 1–154 + [1] pp.
- Sawyer, R.T. 1973. Bloodsucking freshwater leeches: observations on control. *Journal of Economic Entomology* 66(2): 537.
- Sawyer, R.T. 1979. Leeches of special concern from South Carolina. Pages 100–102 *In: Proceedings of the First South Carolina Endangered Species Symposium*, D.M. Forsythe and W.B. Ezell, Jr., Eds. November 11–12, 1976, Charleston, South Carolina. 201 pp.
- Sawyer, R.T. and K.A. Pass. 1972. The occurrence of *Macrobdeella decora* (Say, 1824) (Annelida: Hirudinea) in the Appalachian Mountains of Georgia and South Carolina. *Journal of the Elisha Mitchell Scientific Society* 88(1): 34–35.
- Sawyer, R.T., A.R. Lawler, and R.M. Overstreet. 1975. Marine leeches of the eastern United States and the Gulf of Mexico with a key to the species. *Journal of Natural History* 9(6): 633–667.
- Sawyer, R.T. and R.M. Shelley. 1976. New records and species of leeches (Annelida: Hirudinea) from North and South Carolina. *Journal of Natural History* 10(1): 65–97.
- Schoonmaker, P. and W. Luscombe. 2005. Habitat monitoring: an approach for reporting status and trends for state Comprehensive Wildlife Conservation Strategies. Illahee, Portland, Oregon.
- Scott, M.C., K.M. Kubach, C.A. Marion, L. Rose, C. Thomason, J. Price. 2009. The South Carolina stream assessment standard operating procedures. C. Marion and K. Kubach, editors. South Carolina Department of Natural Resources, Columbia, SC. 49 pp.
- Scharf, W.C. and J. Kren. 2010. Orchard Oriole (*Icterus spurius*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/255>.
- Shelley, R.M., A.L. Braswell and D.L. Stephan. 1979. Notes on the natural history of the terrestrial leech, *Haemopsis septagon* Sawyer and Shelley (Gnathobdella: Hirudinidae). *Brimleyana* 1: 129–133.
- Sibley, D. 2000. The Sibley Guide to Birds. National Audubon Society. New York, New York. 544 pp.
- Simonson, S., D. Barnett and T. Stohlgren. 2004. The invasive species survey: A report on the invasion of the National Wildlife Refuge System. National Institute of Invasive Species Science. Fort Collins, Colorado.
- Smith, D.G. 1977. The rediscovery of *Macrobdeella sestertia* Whitman (Hirudinea: Hirudinidae). *Journal of Parasitology* 63(4): 759–760.
- Smith, D.G. and S. Hanlon. 1997. *Macrobdeella sestertia* (Hirudinea: Hirudinidae) in

- Maine and a key to the hirudiniform leeches of Maine. *Northeastern Naturalist* 4(4): 231–236.
- Smith, Gregory A. and J. A. Jackson. 2002. Gray Kingbird (*Tyrannus dominicensis*), The Birds of North America Online (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online. Available <http://bna.birds.cornell.edu/bna/species/668>.
- Smith, R.K., P.L. Freeman, J.V. Higgins, K.S. Wheaton, T.W. FitzHugh, K.J. Ernstrom, A.A. Das. 2002. Priority areas for freshwater conservation action: a biodiversity assessment of the southeastern United States. The Nature Conservancy.
- Smith, T.I.J., P.A. Sandifer, and M.H. Smith. 1978. Population structure of Malaysian prawns *Macrobrachium rosenbergii* (De Man), reared in earthen ponds in South Carolina, 1974–1976. Proceedings of the Annual Meeting of the World Mariculture Society. 9:21–38.
- South Carolina Aquatic Invasive Species Task Force and South Carolina Department of Natural Resources. 2008. South Carolina Aquatic Invasive Species Management Plan.
- South Carolina Coastal Council. 1977. The South Carolina Beachfront Management Act. Available: <http://www.scdhec.gov/eqc/ocrm/pubs/uoce.pdf>. Accessed: March 2005.
- South Carolina Department of Health and Environmental Control (SCDHEC). 1998a. Watershed water quality assessment Saluda River Basin. Technical Report No. 005-98. 172 pp.
- South Carolina Department of Health and Environmental Control (SCDHEC). 1998b. Watershed water quality assessment Edisto River Basin. Technical Report No. 005-98. 172 pp.
- South Carolina Department of Health and Environmental Control (SCDHEC). 1999a. Watershed water quality assessment Catawba River Basin. Technical Report No. 012-99. 165 pp.
- South Carolina Department of Health and Environmental Control (SCDHEC). 1999b. Watershed water quality assessment Santee River Basin. Technical Report No. 012-99. 165 pp.
- South Carolina Department of Health and Environmental Control (SCDHEC). 2000. Watershed water quality assessment Pee Dee River Basin. Technical Report No. 015-00. 290 pp.
- South Carolina Department of Health and Environmental Control (SCDHEC). 2001. Watershed water quality assessment Broad River Basin. Technical Report No. 001-01. 248 pp.
- South Carolina Department of Health and Environmental Control (SCDHEC). 2003a. Watershed water quality assessment Savannah River Basin. Technical Report No. 002-03. 218 pp.
- South Carolina Department of Health and Environmental Control (SCDHEC). 2003b. Watershed water quality assessment Salkehatchie River Basin. Technical Report No. 002-03. 218 pp.
- South Carolina Department of Natural Resources (SCDNR). 1998. Resource management plan for Jocassee Gorges property, Oconee and Pickens Counties, South Carolina. SC Department of Natural Resources. Columbia, South Carolina.

- South Carolina Department of Natural Resources and National Oceanic and Atmospheric Administration, Coastal Services Center (SCDNR & NOAA). 2000. Characterization of the Ashepoo-Combahee-Edisto (ACE) Basin, South Carolina. CD-ROM. SC Marine Resources Center Special Scientific Report Number 17. NOAA/CSC/20010-CD. Charleston, SC: NOAA Coastal Services Center.
- South Carolina Department of Natural Resources (SCDNR). 2003. Heritage trust inventory: South Carolina Rare, Threatened and Endangered Species. Accessed online on January 21, 2005 at http://www.dnr.state.sc.us/pls/heritage/county_species.list?pcounty=all.
- South Carolina Exotic Pest Plant Council. 2004. Non-native invasive plant species list. Accessed online at http://www.se_eppc.org/states/SC/SCList.pdf.
- South Carolina Forestry Commission (SCFC). 1998. South Carolina Forestry Commission Best Management Practices Manual. 65 pp. <http://www.state.sc.us/forest/refbmp.htm>
- South Carolina Forestry Commission (SCFC). 2010 South Carolina's Statewide Forest Resource Assessment and Strategy (June 2010). 271 pp. (www.trees.sc.gov/scfra.pdf)
- South Carolina GAP Analysis Project. 2001. Accessed online on August 11, 2005 at <http://www.dnr.state.sc.us/gisdata/gap/scgaphome.htm>.
- Southern Appalachian Man and the Biosphere (SAMAB) 1996. The Southern Appalachian assessment atmospheric technical report. Report 3 of 5. Atlanta: U. S. Department of Agriculture, Forest Service, Southern Region.
- Stein, B. A. and K.Gravuer. 2008. Hidden in Plain Sight: The Role of Plants in State Wildlife Action Plans. NatureServe. 27 pp.
- Stuart, T. A., 1953. Spawning migration, reproduction and young stages of loch trout (*Salmo trutta* L.). Freshwat. Salmon. Fish. Res. 5, 39 pp.
- Sweeney, J.R., J.M. Sweeney and S.W. Sweeney. 2003. Feral Hog. Pp 1164-1179. In: Wild mammals of North America, 2nd edition, G.A. Feldhamer and B.Thompson, Eds. . Johns Hopkins Univ. Press. Baltimore, Maryland. 1,216 pp.
- Taylor, C.A., G.A. Schuster, J.E. Cooper, R.J. DiStefano, A.G. Eversole, P. Hamr, H.H. Hobbs III, H.W. Robison, C.E. Skelton, and R.F. Thoma 2007. Reassessment of the Conservation Status of Crayfishes of the United States and Canada after 10+ Years of Increased Awareness. Fisheries. 32(8):372-389.
- Taylor, C.A., M.L. Warren, Jr., J.F. Fitzpatrick, Jr., H.H. Hobbs III, R.F. Jezerinac, W.L. Pflieger, and H.W. Robison. 1996. Conservation status of crayfish of the United States and Canada. Fisheries. 21(4):25-38.
- The Heinz Center. 2013. Pollinators and the State Wildlife Action Plans: Voluntary Guidance for State Wildlife Agencies. Washington, DC, 20 pp.
- Thompson, F. R., and R. M. DeGraaf. 2001. Conservation approaches for woody, early successional communities in the eastern United States. Wildlife Society Bulletin 29(2): 483-494.
- Tiemann, J. S., D.P. Gillette, M.L. Wildhaber and D.R. Edds. 2004. Effects of lowhead dams on riffle-dwelling fishes and macroinvertebrates in a midwestern river. Transactions of the American Fisheries Society 133:705-717.
- Trani, M. K., W. M. Ford, and B. R. Chapman. 2007. Land Manager's Guide to Mammals of the South. The Nature Conservancy, Durham, NC. 546 pp.

- Trautman, M.B. 1957. The Fishes of Ohio. The Ohio State University Press, Columbus, OH, USA.
- Tuberville, T.D. and J. B. Jensen. 2008. Southern Hognose Snake, *Heterodon simus*. In J. Jensen, C. D. Camp, J. W. Gibbons, and M. Elliot (eds.). The Reptiles and Amphibians of Georgia. University of Georgia Press, Athens, GA.
- United States Bureau of the Census. 1954. US Census of Agriculture: 1954. Vol. I, Counties and State Economic Areas, Parts 16 and 27. US Government Printing Office, Washington D.C. 544 pp.
- United States Department of Agriculture. 2000. Summary Report: 1997 National Resources Inventory (revised December 2000), Natural Resources Conservation Service, Washington, DC, and Statistical Laboratory, Iowa State University. Ames, Iowa. 89 pp.
- United States Department of Agriculture Agricultural Monitoring Service. (USDA-AMS) 2013. (<http://apps.ams.usda.gov/nop/>)
- United States Department of Agriculture (USDA-NRCS). 2013. The PLANTS Database (<http://plants.usda.gov>, 29 April 2013). National Plant Data Team, Greensboro, NC.
- United States Department of Agriculture, Economic Research Service (USDA-ERS). 2013. (<http://www.ers.usda.gov/data-products/farm-income-and-wealth-statistics.aspx>) & (<http://www.ers.usda.gov/data-products/state-fact-sheets/state-data.aspx?StateFIPS=45&StateName=South%20Carolina>).
- United States Department of Agriculture (USDA) National Agricultural Statistics Service. 2012.
- United States Department of the Interior, US Geological Survey. 2007. Minerals Yearbook 2007, Area reports: Domestic, Vol. II. 420 pp.
- United States Fish and Wildlife Service (USFWS). 2011. Endangered and threatened wildlife and plants; partial 90-day finding on a petition to list 404 species in the southeastern United States as endangered or threatened with critical habitat. *Federal Register* 76: 59836–59862.
- United States Fish and Wildlife Service (USFWS), National Marine Fisheries Service, and South Carolina Department of Natural Resources. 2001. Santee-Cooper Basin diadromous fish passage restoration plan. 72 pp.
- United States Geological Survey (USGS). 2011. Bats worth billions to agriculture: pest-control services at risk. USGS Newsroom: www.usgs.gov/newsroom/article_pf.asp?ID=2743.
- United States NABCI Committee. 2000. Bird conservation region descriptions: A supplement to the North American Bird Conservation Initiative Bird Conservation Regions Map. US Fish and Wildlife Service, Washington, DC. Accessed online on August 15, 2005 at <http://www.nabci-us.org/aboutnabci/bcrdescrip.pdf>
- Warren, M.L., Jr., B.M. Burr, S.J. Walsh, H.L. Bart, Jr., R.C. Cashner, D.A. Etnier, B.J. Freeman, B.R. Kuhajda, R.L. Mayden, H.W. Robison, S.T. Ross and W.C. Starnes. 2000. Diversity, distribution, and conservation status of the native freshwater fishes of the southern United States. *Fisheries* 25(10):7-31.
- Wharton, C.H. 1978. The natural environments of Georgia. Georgia Department of Natural Resources. Atlanta GA.

- Ware, S., C. Frost and P.D. Doerr. 1993. Southern mixed hardwood forest: the former longleaf pine forest. Pp. 447-493 in W.H. Martin, S.G. Boyce, and A.C. Echternacht, eds. Biodiversity of the southeastern United States: lowland terrestrial communities. John Wiley and Sons, Inc. New York, NY.
- Warner, R.E. 1994. Agricultural land use and grassland habitat in Illinois: future shock for midwestern birds? *Conservation Biology* 8:147-156.
- Waters, T. F. 1995. Sediment in streams: sources, biological effects, and control. American Fisheries Society, Monograph 7, Bethesda, Maryland.
- Watters, G.T. 1996. Small dams as barriers to freshwater mussels (*Bivalvia*, *Unionoida*) and their hosts. *Biol. Conservation*. 75:79-85.
- Wear, David N.; Greis, John G. 2012. The Southern Forest Futures Project: summary report. Gen. Tech. Rep. SRS-GTR-168. Asheville, NC: USDA-Forest Service, Southern Research Station. 54 p.
- Wetmore, A. 1916. Birds of Porto Rico. U.S. Dep. Agric. Bull. 326.
- Wetzel, J.E., W.J. Poly and J.W. Fetzner, Jr. 2004. Morphological and genetic comparisons of golden crayfish, *Orconectes luteus*, and rusty crayfish, *O. rusticus*, with range corrections in Iowa and Minnesota. *Journal of Crustacean Biology*. 24:603–617.
- Wethington, A., J. Wise, and R.T. Dillon, Jr. 2009. Genetic and morphological characterization of the Physidae of South Carolina (Gastropoda: Pulmonata: Basommatophora) with description of a new species. *Nautilus* 123(4): 282–292.
- Williams, J.D., M.L. Warren Jr., K.S. Cummings, J.L. Harris and R.J. Neves. 1993. Conservation status of the freshwater mussels of the United States and Canada. *Fisheries*. 18(9):6-22.
- Williams, J.E., J.E. Johnson, D.A. Hendrickson, S. Contreras-Balderas, J.D. Williams, M. Navarro-Mendoza, D.E. McAllister and J.E. Deacon. 1989. Fishes of North America endangered, threatened, or of special concern. *Fisheries* 14(6): 2-20.
- Wirgin, I., J.R. Waldman, J. Rosko, R. Gross, M.R. Collins, S.G. Rogers and J.E. Stabile. 2000. Genetic structure of Atlantic sturgeon populations based on mitochondrial DNA control region sequences. *Trans. Am. Fish. Soc.* 29:476-486.
- Wilson, L. A. 1995. Land Manager's Guide to the Amphibians and Reptiles of the South. The Nature Conservancy, Chapel Hill, NC. 324 pp.